

COMP322 - Introduction to C++

Lecture 01 - Introduction

School of Computer Science

9 January 2012

What this course is

- ▶ Crash course in C++
- ▶ Only 14 lectures
- ▶ Single-credit course
- ▶ As the lectures only take up 1 hour per week, it will be your responsibility to read any assigned readings.
- ▶ Course material is partly up to you

Goals of Course

- ▶ Understand basics of OOP
- ▶ Crash course in some of the tricks of C++
- ▶ Have a decent sense of what tricks are good and what tricks are just confusing!

What this course is not

- ▶ An introduction to programming course
- ▶ A full OOP course
- ▶ A gentle tour of C and Java syntax

Prerequisites and Assumptions

- ▶ Assumes you have taken COMP206 OR COMP 202 OR COMP 250 OR COMP 208.
- ▶ Assumes you are comfortable in C programming language.
- ▶ If you are not comfortable in C but know Java, it is probably OK. You will, however, find some concepts you need to catch up on and some concepts you already know though.
- ▶ See me if you have any concerns.

Course facts

- ▶ Course web page:
<http://www.cs.mcgill.ca/~dpomer/322-w2012/>
- ▶ Office hours: Tuesdays 10:30-11:30 (flexible depending on necessity)
- ▶ Academic Integrity: See
<http://www.mcgill.ca/integrity>

Assessment

- ▶ Two short quizzes, 20% each
 - ▶ Short-answer, multiple-choice, true/false
 - ▶ Given in class
- ▶ Four homework assignments, 20% each
 - ▶ One or more short programming problems
 - ▶ 3 weeks per assignment
 - ▶ 10% per day late penalty
 - ▶ Use GNU C++ (“g++”)
 - ▶ Comments and style will be counted, in addition to correctness
- ▶ Final grade will be the sum of the best 5 scores, *provided* the work does not violate academic integrity standards!

A little about your instructor

- ▶ Dan Pomerantz, `dpomer@cs.mcgill.ca`, Course Lecturer
- ▶ Office: McConnell 306
- ▶ MSc. from McGill. Worked on recommender systems with Greg Dudek
- ▶ <http://www.recommendz.com>
- ▶ Afterwards worked with Bing Shopping search engine on extracting information from webpages.
- ▶ Hobbies: Chess, basketball, cooking
- ▶ Avid New York Rangers fan

History of C++

- ▶ Begun in 1979 by Bjarne Stroustrup
- ▶ Originally called “C with Classes”
- ▶ First used outside Bell Labs in the mid-80's
- ▶ ANSI/ISO standard (ISO/IEC 14882:1998)
- ▶ Important ancestor of Java

Design principles

- ▶ Compiles to machine (binary) code
- ▶ Compile-time type checking
- ▶ Flexible programming styles
- ▶ Low runtime overhead
- ▶ Minimal development environment
- ▶ Mostly compatible with C

Differences from C

- ▶ Classes
- ▶ Overloading
- ▶ Templates
- ▶ Exceptions
- ▶ Namespaces

Differences from Java

- ▶ Compiles to machine code
- ▶ Multiple inheritance
- ▶ Pointers and references
- ▶ Templates
- ▶ No garbage collection

Pros and cons

- ▶ Like C, C++ is useful for systems programming
- ▶ Commercially important!
- ▶ Can seem complex and difficult
- ▶ Allows serious errors and security problems
- ▶ Not quite as standard as either C or Java
- ▶ Lots of “missing features”

C++ Standard Library

- ▶ Includes most of the C Standard Library
- ▶ Derived from Standard Template Library (STL)
- ▶ Data types: Strings, complex numbers, etc.
- ▶ Containers: Lists, sets, queues, stacks, etc.
- ▶ Algorithms: Sorting and searching

C++ basics

- ▶ Statements terminated with semicolon
- ▶ Comments either between `/* .. */` or after `//`
- ▶ Basic constants and types largely borrowed from C
- ▶ Most operators identical to those in C
- ▶ Parentheses are used to group expressions: `a * (b + c)`
- ▶ All identifiers must be declared before use, e.g.
`int inch; float sum = 0.0;`

C++ basics - Basic types

The sizes and specific range values are typical for 32-bit systems.

Type	Bytes	Min	Max
bool	1	false	true
signed char	1	SCHAR_MIN (-128)	SCHAR_MAX (127)
unsigned char		1	0
char	1	CHAR_MIN	CHAR_MAX
short [int]	2	SHRT_MIN (-32768)	SHRT_MAX (32767)
unsigned short [int]	2	0	USHRT_MAX (65535)
int	4	INT_MIN	INT_MAX
unsigned [int]	4	0	UINT_MAX
long [int]	4	LONG_MIN	LONG_MAX
unsigned long [int]	4	0	ULONG_MAX
float	4	-FLT_MAX	+FLT_MAX
double	8	-DBL_MAX	+DBL_MAX
long double	8	-LDBL_MAX	+LDBL_MAX

C++ example - hello.cpp

```
#include <iostream>
int main()
{
    std::cout << "Hello, world!\n";
    return 0; // Return code for success
}
```

This text, contained in the file hello.cpp, is the canonical trivial program, intended to print a friendly greeting.

C++ example - hello.cpp

```
#include <iostream>
int main()
{
    std::cout << "Hello, world!\n";
    return 0;    // Return code for success
}
```

- ▶ “#include” is a preprocessor directive
 - ▶ Preprocessor runs before the compiler
 - ▶ The entire file “iostream” is incorporated
 - ▶ No semicolon used in preprocessor statements
 - ▶ Incorporates part of standard library

C++ example - hello.cpp

```
#include <iostream>
int main()
{
    std::cout << "Hello, world!\n";
    return 0;    // Return code for success
}
```

- ▶ “main()” is a special function
 - ▶ Control starts with this function
 - ▶ It must be a global function returning `int`
 - ▶ Must be defined only once per project
 - ▶ Is *not* part of any class

C++ example - hello.cpp

```
#include <iostream>
int main()
{
    std::cout << "Hello, world!\n";
    return 0;    // Return code for success
}
```

- ▶ `std::cout` refers to a global object
 - ▶ It is an object of the class `ostream`
 - ▶ It is similar to the `stdout` global from C
 - ▶ The `'j'` operator writes the object
 - ▶ The `'::'` is the scope operator

C++ example - hello.cpp

```
#include <iostream>
int main()
{
    std::cout << "Hello, world!\n";
    return 0;    // Return code for success
}
```

- ▶ return specifies value of function main()
 - ▶ Takes an (optional) value
 - ▶ The number zero is an integer constant
 - ▶ In this case, zero indicates success
 - ▶ Returns control to calling function

C++ example - Compiling and running

```
$ g++ -Wall -o hw hello.cpp  
$ ./hw  
Hello, world!  
$
```

C++ basics - Arithmetic operators

Where possible, C++ will automatically convert among the basic types.

```
+      // Addition and unary plus
-      // Subtraction and unary negation
*      // Multiplication
/      // Division
%      // Integer remainder
```

Another important operator is the assignment operator:

```
=      // Assignment
```

C++ basics - Comparison operators

The result of a comparison operator is always a value of type 'bool':

```
==      // equal
!=      // not equal
>       // greater than
<       // less than
>=      // greater than or equal
<=      // less than or equal
```

C++ basics - Logical operators

The logical `&&` and `||` operators use short-circuit evaluation. They execute the right hand argument only if necessary to determine the overall value.

```
&&    // logical and  
||    // logical or  
!     // logical negation
```

C++ basics - Bitwise operators

These operators support logical operations on bits. For example,

```
int x = 0x1001 ^ 0x2001;
std::cout << std::hex << x << std::endl;
```

would print 3000.

```
&    // bitwise and
|    // bitwise or
^    // bitwise exclusive or
~    // bitwise complement
<<   // left shift
>>   // right shift
```

C++ basics - if statement

```
// Simplest form
if (response == 'y') return true;

// Less simple
if (result > 0.0) {
    x = 1.0 / result;
    y += x;
}
else {
    std::cout << "Division by zero!";
}
```

C++ basics - switch statement

```
int response;

std::cin >> response; // Get input

switch (response) {
case 'y':
    return true;
case 'n':
    return false;
case 'q':
    exit(0);
default:
    std::cout << "I didn't get that, sorry\n";
    break;
}
```

C++ basics - while statement

```
float array[10];  
int i;  
  
i = 0;  
while (i < 10) {  
    array[i] = 0;  
    i++;  
}
```

C++ basics - for statement

Typically a shorthand for common forms of the `while` statement.

```
float array[10];  
  
for (int i = 0; i < 10; i++) {  
    array[i] = 0;  
}
```

C++ basics - do while statement

```
int response;  
do {  
    std::cin >> response;  
    processCommand(response)  
} while (response != 'q');
```

C++ basics - Identifier scope

```
int v = 1;    // Global scope

int main()
{
    int c = 5; // Local scope

    // Declare 'i' in statement scope
    for (int i = 0; i < c; i++) {
        // do something
    }
    // 'i' is now undefined
    c = c + v;
}
```

C++ basics - Functions

```
/* Calculate the mean of an array */
double mean(double data[], int n)
{
    double sum = 0.0;    // Initialization
    if (n != 0) return 0.0;
    for (int i = 0; i < n; i++)
        sum += data[i];
    return sum / n;
}
```

```
/* Impractical recursive factorial */
long factorial(long t)
{
    if (t <= 1) return 1;
    return t * factorial(t - 1);
}
```

Preprocessor

The C++ preprocessor is inherited from C. It runs before the compiler, processing its directives and outputting a modified version of the input.

```
#define    #include
#ifdef    #ifndef
#if       #elif
#else     #endif
#line    #undef
#error   #pragma
```