

Improved Approximation for Guarding Simple Galleries from the Perimeter*

James King
School of Computer Science
McGill University
jking@cs.mcgill.ca

David Kirkpatrick
Department of Computer Science
University of British Columbia
kirk@cs.ubc.ca

February 7, 2010

Abstract

We provide an $O(\log \log \text{OPT})$ -approximation algorithm for the problem of guarding a simple polygon with guards on the perimeter. We first design a polynomial-time algorithm for building ε -nets of size $O(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon})$ for the instances of HITTING SET associated with our guarding problem. We then apply the technique of Brönnimann and Goodrich to build an approximation algorithm from this ε -net finder. Along with a simple polygon P , our algorithm takes as input a finite set of potential guard locations that must include the polygon's vertices. If a finite set of potential guard locations is not specified, *e.g.* when guards may be placed anywhere on the perimeter, we use a known discretization technique at the cost of making the algorithm's running time potentially linear in the ratio between the longest and shortest distances between vertices. Our algorithm is the first to improve upon $O(\log \text{OPT})$ -approximation algorithms that use generic net finders for set systems of finite VC-dimension.

1 Introduction

1.1 The art gallery problem

In computational geometry, art gallery problems are motivated by the question, “How many security cameras are required to guard an art gallery?” The art gallery is modeled as a connected polygon P . A camera, which we will henceforth call a *guard*, is modeled as a point in the polygon, and we say that a guard g *sees* a point q in the polygon if the line segment \overline{gq} is contained in P . We call a set G of points a *guarding set* if every point in P is seen by some $g \in G$. Let $V(P)$ denote the vertex set of P and let ∂P denote the boundary of P . We assume that P is closed and non-degenerate so that $V(P) \subset \partial P \subset P$.

We consider the minimization problem that asks, given an input polygon P with n vertices, for a minimum guarding set for P . Variants of this problem typically differ based on what points in P must be guarded and where guards can be placed, as well as whether P is simple or contains holes. Typically we want to guard either P or ∂P , and our set of potential guards is typically $V(P)$

*Some of these results appeared in preliminary form as D. Kirkpatrick. *Guarding galleries with no nooks*. In *Proceedings of the 12th Canadian Conference on Computational Geometry (CCCG'00)*, pages 43–46, 2000.

(vertex guards), ∂P (perimeter guards), or P (point guards). For results on art gallery problems not related to minimization problems we direct the reader to O’Rourke’s book [18], which is available for free online.

The problem was proved to be NP-complete first for polygons with holes by O’Rourke and Supowit [19]. For guarding simple polygons it was proved to be NP-complete for vertex guards by Lee and Lin [17]; their proof was generalized to work for point guards by Aggarwal [1]. This raises the question of approximability. There are two major hardness results. First, for guarding simple polygons, Eidenbenz [9] proved that the problem is APX-complete, meaning that we cannot do better than a constant-factor approximation algorithm unless $P = NP$. Subsequently, for guarding polygons with holes, Eidenbenz *et al.* [10] proved that the minimization problem is as hard to approximate as SET COVER in general if there is no restriction on the number of holes. It therefore follows from results about the inapproximability of SET COVER by Feige [11] and Raz and Safra [20] that, for polygons with holes, it is NP-hard to find a guarding set of size $o(\log n)$. These hardness results hold whether we are dealing with vertex guards, perimeter guards, or point guards.

Ghosh [13] provided an $O(\log n)$ -approximation algorithm for guarding polygons with or without holes with vertex guards. His algorithm decomposes the input polygon into a polynomial number of cells such that each point in a given cell is seen by the same set of vertices. This discretization allows the guarding problem to be treated as an instance of SET COVER and solved using general techniques. This will be discussed further in Section 1.2. In fact, applying methods for SET COVER developed after Ghosh’s algorithm, it is easy to obtain an approximation factor of $O(\log OPT)$ for vertex guarding simple polygons or $O(\log h \log OPT)$ for vertex guarding a polygon with h holes.

When considering point guards or perimeter guards, discretization is far more complicated since two distinct points will not typically be seen by the same set of potential guards even if they are very close to each other. Deshpande *et al.* [7] obtain an approximation factor of $O(\log OPT)$ for point guards or perimeter guards by developing a sophisticated discretization method that runs in pseudopolynomial time. It is a pseudopolynomial-time algorithm in that its running time may be linear in the ratio between the longest and shortest distances between two vertices. Efrat and Har-Peled [8] provided a randomized algorithm with the same approximation ratio that runs in fully polynomial expected time; their discretization technique involves only considering guards that lie on the points of a very fine grid.

Our contribution is an algorithm for guarding simple polygons, using either vertex guards or perimeter guards. Our algorithm has a guaranteed approximation factor of $O(\log \log OPT)$ and the running time is polynomial in n and the number of potential guard locations. This is the best approximation factor obtained for vertex guards and perimeter guards. If no finite set of guard locations is given, we use the discretization technique of Deshpande *et al.* and our algorithm is polynomial in n and Δ , where Δ is the ratio between the longest and shortest distances between vertices.

1.2 Guarding problems as instances of HITTING SET

1.2.1 Set Cover and Hitting Set

SET COVER is a well-studied NP-complete optimization problem. Given a universe \mathcal{U} of elements and a collection \mathcal{S} of subsets of \mathcal{U} , SET COVER asks for a minimum subset \mathcal{C} of \mathcal{S} such that $\bigcup_{S \in \mathcal{C}} S = \mathcal{U}$. In other words, we want to cover all of the elements in \mathcal{U} with the minimum number of sets from \mathcal{S} . In general, SET COVER is not only difficult to solve exactly (see, *e.g.*,

[12]) but is also difficult to approximate—no polynomial time approximation algorithm can have a $o(\log n)$ approximation factor unless $P = NP$ [20]. Conversely, a simple greedy heuristic (repeatedly picking the set that covers the most uncovered elements) [6] for SET COVER attains an $O(\log n)$ approximation factor. Another problem, HITTING SET, asks for a minimum subset \mathcal{H} of \mathcal{U} such that $S \cap \mathcal{H} \neq \emptyset$ for any $S \in \mathcal{S}$. Any instance of HITTING SET can easily be formulated as an instance of SET COVER and vice versa.

1.2.2 Set Systems of Guarding Problems

Guarding problems can naturally be expressed as instances of SET COVER or HITTING SET. We wish to model an instance of a guarding problem as an instance of HITTING SET. The desired set system $(\mathcal{U}, \mathcal{S})$ is constructed as follows. \mathcal{U} contains the potential guard locations. For each point p that needs to be guarded, S_p is the set of potential guards that see p , and $\mathcal{S} = \{S_p \mid p \in P\}$.

1.2.3 ε -Nets

Informally, if we wish to relax the HITTING SET problem, we can ask for a subset of \mathcal{U} that hits all *heavy* sets in \mathcal{S} . This is the idea behind ε -nets. For a set system $(\mathcal{U}, \mathcal{S})$ and an additive weight function w , an ε -net is a subset of \mathcal{U} that hits every set in \mathcal{S} having weight at least $\varepsilon \cdot w(\mathcal{U})$.

It is known that set systems of VC-dimension d admit ε -nets of size $O(\frac{d}{\varepsilon} \log \frac{1}{\varepsilon})$ [3] and that this is asymptotically optimal without further restrictions [16]. It is also known that set systems associated with the guarding of simple polygons with point guards have constant VC-dimension [14, 21], and this bound also applies *a fortiori* to perimeter guards and vertex guards. Thus when guarding simple polygons we can construct ε -nets of size $O(\frac{1}{\varepsilon} \log \frac{1}{\varepsilon})$ using general techniques. In a polygon with h holes the VC-dimension is $O(\log h)$ [21] and therefore ε -nets of size $O(\frac{1}{\varepsilon} \log \frac{1}{\varepsilon} \log h)$ can be constructed.

Using techniques specific to vertex guarding or perimeter guarding a simple polygon, we are able to break through the general $\Theta(\frac{d}{\varepsilon} \log \frac{1}{\varepsilon})$ lower bound to build smaller ε -nets. This result is stated in the following theorem.

Theorem 1. *For the problem of guarding a simple polygon with vertex guards or perimeter guards, we can build ε -nets of size $O(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon})$ in polynomial time.*

Proof. In Section 3 we introduce the basic ideas that allow the construction of ε -nets of size $O(1/\varepsilon^2)$. In Section 4 we give a more complicated, hierarchical technique that lets us construct ε -nets of size $O(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon})$. \square

A similar result for a different problem was recently obtained by Aronov *et al.* [2], who proved the existence of ε -nets of size $O(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon})$ when \mathcal{S} is either a set of axis-parallel rectangles in \mathbb{R}^2 or axis-parallel boxes in \mathbb{R}^3 .

1.2.4 Approximating HITTING SET with ε -Nets

Brönnimann and Goodrich [5] introduced an algorithm for using a *net finder* (an algorithm for finding ε -nets) to find approximately optimal solutions for the HITTING SET problem. Their algorithm gives an initial weighting to the elements in \mathcal{U} . The net finder is then used to find an ε -net for $\varepsilon = 1/2c'$, with c' fixed at a constant between 1 and $2 \cdot \text{OPT}$. If there is a set in \mathcal{S} not hit by the

ε -net, the algorithm picks such a set and doubles the weight of every element in it. It then repeats, finding a new ε -net given the new weighting. This continues until the algorithm finds an ε -net that hits every set in \mathcal{S} . If the net finder constructs ε -nets of size $f(1/\varepsilon)$, their main algorithm finds a hitting set of size $f(4 \cdot \text{OPT})$.

Previous approximation algorithms achieving guaranteed approximation factors of $\Theta(\log \text{OPT})$ [7, 8] have used this technique, along with generic ε -net finders of size $O(\frac{1}{\varepsilon} \log \frac{1}{\varepsilon})$ for set systems of constant VC-dimension. Instead, we use our net finder from Theorem 1 to obtain the following corollary, whose proof is given in Section 2.

Corollary 1. *Let P be a simple polygon with n vertices and let G be a set of potential guard locations such that $V(P) \subseteq G \subset \partial P$. Let $T \subseteq P$ be the set of points we want to guard. There is a polynomial-time algorithm that outputs a guarding set for T of size $O(\text{OPT} \cdot \log \log \text{OPT})$, where OPT is the size of the minimum subset of G that guards T .*

2 The Main Algorithm

2.1 Main algorithm.

Our main algorithm is an application of that presented by Brönnimann and Goodrich [5]. Their algorithm provides a generic way to turn a *net finder*, *i.e.* an algorithm for finding ε -nets for an instance of HITTING SET, into an approximation algorithm. Along with a net finder we also need a *verifier*, which either states correctly that a set H is a hitting set, or returns a set from \mathcal{S} that is not hit by H .

For the sake of completeness we present the entire algorithm here. G is the set of potential guard locations and T is the set of points that must be guarded. We first assign a weight function w to the set G . When the algorithm starts each element of G has weight 1. The main idea of the algorithm is to repeatedly find an ε -net H and, if H is not a hitting set (*i.e.* if it does not see everything in T), to choose a point $p \in T$ that is not seen by H and double the weight of any guard that sees p .

2.1.1 Bounding the number of iterations.

For now assume we know the value of OPT and we set $\varepsilon = \frac{1}{2 \cdot \text{OPT}}$. We give an upper bound for the number of doubling iterations the algorithm can perform. Each iteration increases the total weight of G by no more than a multiplicative factor of $(1 + \varepsilon)$ (since the guards whose weight we double have at most an ε proportion of the total weight). Therefore after k iterations the weight has increased to at most

$$|G| \cdot (1 + \varepsilon)^k \leq |G| \cdot \exp\left(\frac{k}{2 \cdot \text{OPT}}\right) \leq |G| \cdot 2^{\left(\frac{3k}{4 \cdot \text{OPT}}\right)}.$$

Let $\mathcal{H} \subseteq G$ be an optimal hitting set (*i.e.* guarding set) of size OPT . For an element $h \in \mathcal{H}$ define z_h as the number of times the weight of h has been doubled. Since \mathcal{H} is a hitting set, in each iteration some guard in \mathcal{H} has its weight doubled, so we have

$$\sum_{h \in \mathcal{H}} z_h \geq k$$

and

$$\begin{aligned} w(\mathcal{H}) &= \sum_{h \in \mathcal{H}} 2^{z_h} \\ &\geq \text{OPT} \cdot 2^{\left(\frac{k}{\text{OPT}}\right)} \quad (\text{since } 2^x \text{ is a convex function}). \end{aligned}$$

We now have

$$\text{OPT} \cdot 2^{\left(\frac{k}{\text{OPT}}\right)} \leq w(\mathcal{H}) \leq w(G) \leq |G| \cdot 2^{\left(\frac{3k}{4 \cdot \text{OPT}}\right)},$$

which gives us

$$k \leq 4 \cdot \text{OPT} \cdot \log \left(\frac{|G|}{\text{OPT}} \right).$$

This bound also tells us that the total weight $w(G)$ never exceeds $\frac{|G|^4}{\text{OPT}^3}$.

We must now address the fact that the value of OPT is unknown. We maintain a variable c' which is our guess at the value of OPT , starting with $c' = 1$. If the algorithm runs for more than $4 \cdot c' \cdot \log \left(\frac{|G|}{c'} \right)$ iterations without obtaining a guarding set, this implies that there is no guarding set of size c' so we double our guess. When our algorithm eventually obtains a hitting set, we have $\text{OPT} \leq c' \leq 2 \cdot \text{OPT}$. The hitting set obtained is a $\left(\frac{1}{2c'}\right)$ -net build by our net finder. Therefore, using the method from Section 4 to build an ε -net of size $O\left(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon}\right)$, we obtain a guarding set of size $O(\text{OPT} \cdot \log \log \text{OPT})$.

2.1.2 Verification

The main algorithm requires a verification oracle that, given a set H of guards, either states correctly that H guards T or returns a point $p \in T$ that is not seen by H . We can use the techniques of Bose *et al.* [4] to find the visibility polygon of any guard in H efficiently. It will always be the case that $|H| < n$. Finding the union of visibility polygons of guards in H can be done in polynomial time, as can comparing this union with T .

3 Building quadratic nets

In this section we show how to build an ε -net using $O(1/\varepsilon^2)$ guards. This result is not directly useful to us but we use this section to perform the geometric leg work, and hopefully provide some intuition, without worrying about the hierarchical decomposition to be described in Section 4. It should be clear that these ε -nets can be constructed in polynomial time.

3.1 Subdividing the Perimeter.

For the construction both of the ε -nets in this section and those in the next section we will subdivide the perimeter into a number of *fragments*. Fragment endpoints will always lie on vertices, but the weight of a guard location may be split between multiple fragments and a fragment may consist of a single vertex.

The key difference between the construction of the ε -nets in this section and those in the next section is the method of fragmentation. In this section, the perimeter will simply be divided into $m = 4/\varepsilon$ fragments each having weight $\frac{\varepsilon}{4}w(G)$. For our purposes, $1/\varepsilon$ will always be an integer so m will always be an integer.

3.2 Placing Extremal Guards.

For two fragments A_i and A_j we will place guards at *extreme points of visibility*. Those are the first and last points on A_i seen from A_j and the first and last points on A_j seen from A_i . For a contiguous fragment we define the first (resp. last) point of the segment according to the natural clockwise ordering on the perimeter. We use $G(A_i, A_j)$ to denote the set of up to 4 extremal guards placed between A_i and A_j .

These extreme points of visibility might not lie on vertices. In fact, it is entirely possible that two fragments A_i and A_j see each other even if no vertex of A_i sees A_j and vice versa. If an extreme point of visibility is not a potential guard location, we will simply not place a guard there. Our proofs, in particular the proof of Lemma 2, will only require guards on extreme points of visibility that either lie on vertices or on fragment endpoints.

3.3 All Pairs Extremal Guarding.

Our aim in this section is to build an ε -net by placing extremal guards for every pair (A_i, A_j) of fragments. We denote this set of guards with

$$S_{AP} = \bigcup_{i \neq j} G(A_i, A_j) .$$

Note that $|S_{AP}| \leq 4 \binom{m}{2} = O(1/\varepsilon^2)$. Also note that every fragment endpoint is included in S_{AP} .

Lemma 1. *Any point not guarded by S_{AP} sees at most 4 fragments.*

Corollary 2. *S_{AP} is an ε -net of size $O(1/\varepsilon^2)$.*

For the proof of Lemma 1 we need to present additional properties of the fragments that can be seen by a point. For a point x , the fragments seen by x are ordered clockwise in the order they appear on the boundary of P . We need to consider lines of sight from x , and what happens when a transition is made from seeing one fragment A_i to seeing the next fragment A_j . There are three possibilities:

1. $j = i + 1$ and x sees the guard at the common endpoint of A_i and A_j
2. A_j occludes A_i , in which case we say that x has a *left tangent* to A_j (see Figure 1)
3. A_i was occluding A_j , in which case we say that x has a *right tangent* to A_i (see Figure 2).

We say a fragment A *owns* a point x if x sees A in a sector of size at least π . We assume any point x is owned by at most one fragment; if x is a fragment endpoint it will itself be a guard, and otherwise if x is owned by two fragments then only those two fragments can see it.

Lemma 2. *Let A_i, A_j, A_k be fragments that are seen by x consecutively in clockwise order. If x has a left tangent to A_j , and the combined angle of A_j and A_k at x is no more than π , then x sees a guard in $G(A_j, A_k)$. Symmetrically, if x has a right tangent to A_j , and the combined angle of A_i and A_j at x is no more than π , then x sees a guard in $G(A_i, A_j)$.*

Proof. We can assume w.l.o.g. that x has a left tangent to A_j since the proof of the other case is symmetric. There are now two cases we have to deal with, depending on whether x has a right tangent to A_j (case 1) or a left tangent to A_k (case 2). Define p_L and p_R respectively as the first





Figure 1: The point x has a left tangent to A_j . Figure 2: The point x has a right tangent to A_i .




Figure 3: The point x has no tangent to A_i , a left tangent to A_j , both a left and right tangent to A_k , and a right tangent to A_l . A_j owns x .




Figure 4: Case 1 in the proof of Lemma 2. The point x has a left tangent and a right tangent to A_j .




Figure 5: Case 2 in the proof of Lemma 2. The point x has a left tangent to A_j and a left tangent to A_k .

and last points on A_j seen by x . Observe that x must see every vertex on the geodesic between p_L and p_R . Let q be the first point on A_j seen from A_k . In both cases 1 and 2 (see Figures 4 and 5), q must be a vertex of the geodesic between p_L and p_R . This can be shown by contradiction; if q lies between consecutive vertices of this geodesic then those two consecutive vertices must also be seen from A_k , and one of them comes before q .

The restriction that the combined angle of A_j and A_k at x is no more than π is necessary to ensure that the geodesic of interest from A_k to A_j does not ‘pass behind’ x to see a point on A_j before p_L .

It should be emphasized that, since there is a left tangent to A_j , p_L will always be a vertex. Also, if p_R is not a vertex it will not be the first point on A_j seen from A_k . \square

The proof of Lemma 1 is now fairly straightforward.

Proof of Lemma 1. Let x be a point that sees at least 5 fragments. Assume x is not a fragment endpoint, otherwise it is itself a guard in S_{AP} . If we have a directed graph whose underlying undirected graph is a cycle, then either we have a directed cycle or we have a vertex with in-degree 2. By the same principle, either some fragment seen by x has no tangent from x , or every fragment seen by x has a left tangent from x (or every one has a right tangent, which can be handled symmetrically).

If a fragment seen by x has no tangent from x , call such a fragment A_0 and let $A_{-2}, A_{-1}, A_0, A_1, A_2$ be fragments seen by x in clockwise order. If the combined angle at x of A_{-2} and A_{-1} is more than π , the combined angle of A_1 and A_2 is less than π . So we can apply Lemma 2 with one of the two pairs of fragments to show that x is seen by a guard.

If every fragment seen by x has a left tangent from x , then we can apply Lemma 2 using two consecutive fragments with a combined angle at x of less than π .

□

Before we move on we will prove one more helpful lemma.

Lemma 3. *The number of fragments seen by an unguarded point x that do not have a tangent from x is at most 1.*

Proof. Assume the contrary and let A_0 and A_i be two such fragments. If one such fragment owns x , assume it is A_0 and call the next two fragments seen by x in the clockwise direction A_1 and A_2 respectively. By Lemma 2, x is seen by a guard in $G(A_1, A_2)$ so we reach a contradiction. If no such fragment owns x then assume w.l.o.g. that, over the fragments seen by x between A_0 and A_i going clockwise, the combined angle at x is less than π (if this is not true it must be true going counterclockwise). Again, x is seen by a guard in $G(A_1, A_2)$ so we reach a contradiction. □

4 Hierarchical fragmentation

In the last section we showed how a quadratic number of guards (*i.e.* $O(1/\varepsilon^2)$) could be placed to ensure that any unguarded point sees at most 4 fragments. In this section we discuss how hierarchical fragmentation can be used to reduce the number of guards required to $O(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon})$. We will use S_{HF} to denote the guarding set constructed in this section. It should be clear that these ε -nets can be constructed in polynomial time.

We can consider the hierarchy as represented by a tree. At the root there is a single fragment representing the entire perimeter of the polygon. This root fragment is broken up into a certain number of child fragments. Fragmentation continues recursively until a specified depth t is reached. We will set $t = \lceil \log \log \frac{1}{\varepsilon} \rceil$. The *fragmentation factor* (equivalently, the branching factor of the corresponding tree) is not constant, but rather depends on both t and the level in the hierarchy. The fragmentation factor generally decreases as the level of the tree increases. Specifically, if b_i is the fragmentation factor at the i^{th} step, we have

$$b_i = \begin{cases} 2^{2^{t-1}+1} \cdot 4t \cdot 2^{1-t} \cdot \alpha & , \quad i = 1 \\ 2^{2^{t-i}+1} & , \quad 1 < i \leq t , \end{cases}$$

where $\alpha \leq 1$ is a term introduced only to deal with an issue arising from ceilings and double exponentials, namely the fact that $2^{2^{\lceil \log \log 1/\varepsilon \rceil}}$ is not in $O(1/\varepsilon)$. α is specified in (3) later in this section.

If f_i is the total number of fragments after the i^{th} fragmentation step, this gives us

$$f_i = \begin{cases} 1 & , \quad i = 0 \\ 4t \cdot 2^{2^t - 2^{t-i} - t + i + 1} \cdot \alpha & , \quad 0 < i \leq t \\ 4t \cdot 2^{2^t} \cdot \alpha & , \quad i = t , \end{cases}$$

since

$$\begin{aligned}
f_i &= \prod_{j=1}^i b_j \\
&= 4t \cdot 2^{1-t} \cdot \alpha \cdot \prod_{j=1}^i 2^{2^{t-j}+1} \\
&= 4t \cdot 2^{1-t+\sum_{j=1}^i (2^{t-j}+1)} \cdot \alpha \\
&= 4t \cdot 2^{2^t-2^{t-i}-t+i+1} \cdot \alpha .
\end{aligned}$$

Our algorithm will place guards at all pairs of *sibling fragments*, *i.e.* fragments having the same parent fragment. For the purposes of this guard placement, the complement of the parent fragment, *i.e.* the subset of G outside the parent fragment, will be considered a dummy child fragment. That is, it will be considered a child fragment when placing guards, but not when counting the number of child fragments seen from some point x as in the statement of Corollary 3 or in the proof of Lemma 4. To denote the complement of a fragment A we use \bar{A} . Considering \bar{A} to be a child of A when placing guards allows us to consider the children of A as if they were fragments with guards placed for all pairs. For example, we can obtain the following corollary from Lemmas 1 and 3.

Corollary 3. *For an unguarded point x and a fragment A , the number of child fragments of A seen by x is at most 3, and at most one of these child fragments does not have a tangent from x .*

The total number of guards placed will be

$$|S_{HF}| \leq 4 \sum_{i=1}^t \binom{b_i + 1}{2} f_{i-1} \leq 4 \sum_{i=1}^t b_i^2 f_{i-1} .$$

If $t \geq 6$ we have $b_i \leq 2^{2^{t-i}+1}$ for all values of i . This gives us

$$\begin{aligned}
|S_{HF}| &\leq 4\alpha \sum_{i=1}^t 2^{2(2^{t-i}+1)} \cdot 4t \cdot 2^{2^t-2^{t-i+1}-t+i} \\
&= 16t\alpha \sum_{i=1}^t 2^{2^t-t+i+2} \\
&= 16t\alpha \cdot 2^{2^t-t+3} (2^t - 1) \\
&< 16t\alpha \cdot 2^{2^t+3} \\
&= 128t\alpha \cdot 2^{2^t} .
\end{aligned}$$

Recall that $t = \lceil \log \log \frac{1}{\varepsilon} \rceil$. We need to define α in a way that ensures b_1 is an integer and that ensures the following two equations hold:

$$|S_{HF}| = O\left(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon}\right) \tag{1}$$

$$\frac{f_t}{4t} \geq \frac{1}{\varepsilon} . \tag{2}$$

To satisfy these three criteria, it suffices to set

$$\alpha = \frac{\left[2^{2^{t-1}+1} \cdot 4t \cdot 2^{-t} \cdot 2^{\log(1/\varepsilon)-2^t} \right]}{2^{2^{t-1}+1} \cdot 4t \cdot 2^{-t}} = \frac{\left[4t \cdot 2^{\log(1/\varepsilon)+1-t-2^{t-1}} \right]}{4t \cdot 2^{2^{t-1}+1-t}}. \quad (3)$$

We must now provide a generalization of Lemma 1 that works with our hierarchical fragmentation.

Lemma 4. *Any point not guarded by S_{HF} sees at most $4i$ fragments at level i .*

Applying this with $i = t$ and using (1) and (2), we get

Corollary 4. *S_{HF} is an ε -net of size $O\left(\frac{1}{\varepsilon} \log \log \frac{1}{\varepsilon}\right)$.*

Proof of Lemma 4. Let x be a point that does not see any guard in S_{HF} . From the tree associated with the hierarchical fragmentation, we consider the subtree of fragments that see x . We define a *branching fragment* as a fragment with multiple children seen by x and we claim that at any level there are at most 2 branching fragments. Corollary 3 tells us that any fragment has at most 3 children seen by x . At level 1 there are at most 4 fragments seen by x , so it follows that the number of fragments seen by x at level i is at most $4i$. We must now prove our claim that there are at most 2 branching fragments at any level.

First we note that a branching fragment either has no tangent from x or owns x . To see this, consider a fragment A that has a tangent from x and does not own x . Assume w.l.o.g. that x has a left tangent to A and call the point of tangency p_L . x must then also have a left tangent to the child fragment A_0 of A that contains p_L . A_0 must be the leftmost child fragment of A seen by x . If x sees another child fragment A_1 of A to the right of A_0 , then by Lemma 2 it is seen by a guard in $G(A_0, A_1)$.

Consider now the following possibilities for a given fragment A .

1. A is not seen by x . Clearly x cannot see any child fragments of A .
2. A does not own x , and x has a tangent to A . A then has exactly one child fragment that sees x , and this fragment is of type (2).
3. A does not own x , and x does not have a tangent to A . By Corollary 3, x can see at most 3 child fragments of A . At most one of these children is of type (3) and all others must be of type (1) or (2).
4. A owns x and has no tangents from x , *i.e.* \overline{A} has two tangents from x . If a child of A owns x it must be the only child of A that sees x , and this child is also of type (4). Otherwise, A would have a child fragment A_i that is seen by x , does not own x , and is adjacent to \overline{A} . x would then be seen by a guard in $G(A_i, \overline{A_P})$. Thus A has at most one child that is not of type (1) or (2).
5. A owns x and has two tangents from x . Because \overline{A} is, in a sense, a ‘dummy’ child of type (3), A cannot have a real child of type (3) by the proof of Lemma 3. Further, if A has a child A_0 that owns x , this child must also be of type (5). Otherwise assume w.l.o.g. that A_1 , immediately clockwise from A_0 , has a left tangent from x . Then, using A_2 to denote the fragment clockwise from A_1 (A_2 might be $\overline{A_P}$), x is seen by $G(A_1, A_2)$.




Figure 6: The only way a fragment of type (5) can have three children seen by x .

6. A owns x and has exactly one tangent from x (see Figure 7). We consider how A can have multiple children seen by x . Assume w.l.o.g. that \bar{A} has a right tangent. If A_{-1} is the child of A seen by x immediately counterclockwise from \bar{A} then A_{-1} must own x , otherwise x is seen by $G(A_{-1}, \bar{A})$. If A_1 is the child of A seen by x immediately clockwise from \bar{A} then A_1 cannot have a tangent from x otherwise x would be seen by $G(\bar{A}, A_1)$. If x can see A_2 , a child of A between A_1 and A_{-1} , then x must have two tangents to A_{-1} otherwise it would be seen by $G(A_1, A_2)$.

Therefore if A has more than one child seen by x , there must one of type (3) and one of type (5), plus (possibly) a child of type (2).

We call a non-root fragment *fruitful* if it or one of its descendants is a branching fragment. Only fragments of type (3-6) can be fruitful. Only fragments of type (6) can have more than one fruitful child, and they can have at most two fruitful children. No non-root fragment can have a child fragment of type (6). Also, if the root has a child fragment of type (6), the root cannot have a child of type (3). Therefore any level has at most 2 fruitful fragments.

We can now state the following:

- Level 1 has at most 4 child fragments that see x , at most 2 of which are fruitful.
- A fruitful fragment has at most 3 child fragments that see x , at most 1 of which is fruitful.
- A non-fruitful fragment has at most 1 child fragment that sees x .

Therefore any level has at most 2 fruitful fragments and the number of fragments at level i that see x is at most $4i$.

□




Figure 7: The only way a fragment of type (6) can have three children seen by x .

5 Open problems

- We have obtained a $o(\log \text{OPT})$ -approximation factor for vertex guards and perimeter guards. Can the same be done for point guards?
- Can we do better than $O(\log \log \text{OPT})$ for perimeter guards? In particular, can we find a constant factor approximation algorithm to match the hardness of approximation result of Eidenbenz [9]?
- For simple polygons, the set systems associated with point guards have maximum VC-dimension at least 6 and at most 23 [21]; it is believed that the true value is closer to the lower end of this range, perhaps even 6 [14]. The upper bound of 23 holds *a fortiori* for set systems associated with perimeter guards but the lower bound of 6 does not. A lower bound of 4 follows from a trivial modification to an example for monotone chains [15]; we can increase this bound to 5 without too much difficulty (see Figure 8). Can set systems associated with perimeter guards actually have VC-dimension as high as 6? And can the upper bound of 23 be improved? It seems that improving the upper bound would be easier for perimeter guards than for point guards.

References

- [1] A. Aggarwal, The art gallery theorem: its variations, applications and algorithmic aspects, Ph.D. thesis, The Johns Hopkins University, Baltimore, MD, 1984




Figure 8: A polygon with a set S of 5 points on the perimeter. The points in $S = \{1, 2, 3, 4, 5\}$ are marked with circles and labeled with large numbers. Each point in S sees all of S , and each guard seeing a subset of S of size 3 or 4 is marked with a cross and labeled with small numbers indicating which points in S it sees. Guards seeing the 16 subsets of S of size 0, 1, or 2 are not shown. Adding these is a simple matter of adding nooks with very small angles of visibility, thus we can construct a polygon with 5 points on the perimeter shattered by 2^5 perimeter guards. Such a polygon can also be obtained via a fairly straightforward modification of the example of Kalai and Matoušek for point guards [14].

- [2] B. Aronov, E. Ezra, and M. Sharir, Small-size ε -nets for axis-parallel rectangles and boxes, in *Proc. 41st ACM Symp. Theory of Computing*, Bethesda, MD, 2009, pp. 639–648.
- [3] A. Blumer, A. Ehrenfeucht, D. Haussler, and M. K. Warmuth, Learnability and the Vapnik-Chervonenkis dimension, *J. ACM* **36**:4 (1989), 929–965.
- [4] P. Bose, A. Lubiw, and J. I. Munro, Efficient visibility queries in simple polygons, *Comput. Geom. Theory Appl.* **23**:3 (2002), 313–335.
- [5] H. Brönnimann and M. T. Goodrich, Almost optimal set covers in finite VC-dimension, *Discrete & Computational Geometry*, **14**:1 (1995), 463–479.
- [6] V. Chvátal, A greedy heuristic for the set-covering problem, *Mathematics of Operations Research* **4**:3 (1979), 233–235.
- [7] A. Deshpande, T. Kim, E. D. Demaine, and S. E. Sarma, A pseudopolynomial time $O(\log n)$ -approximation algorithm for art gallery problems, in *Proc. 10th Workshop on Algorithms and Data Structures*, Halifax, Canada, 2007, pp. 163–174.
- [8] A. Efrat and S. Har-Peled, Guarding galleries and terrains, *Inf. Process. Lett.* **100**:6 (2006), 238–245.
- [9] S. Eidenbenz, Inapproximability results for guarding polygons without holes, in *Proc. 9th Int. Symp. Algorithms and Computation*, pp. 427–436, Lecture Notes in Computer Science, Vol. 1533, 1998.
- [10] S. Eidenbenz, C. Stamm, and P. Widmayer, Inapproximability results for guarding polygons and terrains, *Algorithmica* **31**:1 (2001), 79–113.
- [11] U. Feige, A threshold of $\ln n$ for approximating set cover, *J. ACM* **45**:4 (1998), 634–652.
- [12] M. Garey and D. Johnson, *Computers and Intractability: A Guide to the Theory of NP-Completeness*, W.H. Freeman and Co., San Francisco, 1979.
- [13] S. Ghosh, Approximation algorithms for art gallery problems *Proc. Canadian Information Processing Society Congress*, 1987, pp. 429–436.
- [14] G. Kalai and J. Matoušek, Guarding galleries where every point sees a large area, *Israel Journal of Mathematics* **101**:1 (1997), 125–139.
- [15] J. King, VC-dimension of visibility on terrains, in *Proc. 20th Canadian Conference on Computational Geometry*, Montreal, Canada, 2008, pp. 27–30.
- [16] J. Komlós, J. Pach, G. and Woeginger, Almost tight bounds for ε -nets, *Discrete & Computational Geometry* **7**:1 (1992), 163–173.
- [17] D. Lee and A. Lin, Computational complexity of art gallery problems, *IEEE Trans. Inform. Theory* **32** (1986), 276–282.
- [18] J. O’Rourke, *Art Gallery Theorems and Algorithms*, Oxford University Press, 1987.

- [19] J. O'Rourke and K. J. Supowit, Some NP-hard polygon decomposition problems, *IEEE Transactions on Information Theory* **29**:2 (1983), 181–189.
- [20] R. Raz and S. Safra, A sub-constant error-probability low-degree-test and a sub-constant error-probability PCP characterization of NP, in *Proc. 29th ACM Symp. Theory of Computing*, El Paso, TX, 1997, pp. 475–484.
- [21] P. Valtr, Guarding galleries where no point sees a small area, *Israel Journal of Mathematics* **104**:1 (1998), 1–16.