

UNNESTING OF COPATTERNS

ANDREAS ABEL, BRIGITTE PIENTKA, ANTON SETZER, AND DAVID THIBODEAU

Computer Science and Engineering, Chalmers and Gothenburg University, Göteborg, Sweden

e-mail address: andreas.abel@gu.se

School of Computer Science, McGill University, Montreal, Canada

e-mail address: bpientka@cs.mcgill.ca

Dept. of Computer Science, Swansea University, Swansea, UK

e-mail address: a.g.setzer@swan.ac.uk

School of Computer Science, McGill University, Montreal, Canada

e-mail address: david.thibodeau@mail.mcgill.ca

ABSTRACT. Inductive data such as finite lists and trees can elegantly be defined by constructors which allow programmers to analyze and manipulate finite data via pattern matching. Dually, coinductive data such as streams can be defined by observations such as head and tail and programmers can synthesize infinite data via copattern matching. This leads to a symmetric language where finite and infinite data can be nested. In this paper, we compile nested pattern and copattern matching into a core language which only supports simple non-nested (co)pattern matching. This core language may serve as an intermediate language of a compiler. We show that this translation is conservative, i.e. the multi-step reduction relation in both languages coincides for terms of the original language. Furthermore, we show that the translation preserves strong and weak normalisation: a term of the original language is strongly/weakly normalising in one language if and only if it is so in the other. In the proof we develop more general criteria which guarantee that extensions of abstract reduction systems are conservative and preserve strong or weak normalisation.

1998 ACM Subject Classification: D.3.3 Programming Languages: Language Constructs and Features [Data types and structures, Patterns, Recursion] F.3.3 Logics and Meanings of Programs: Studies of Program Constructs [Program and recursion schemes, Type structure] F.4.1 Mathematical Logic and Formal Languages: Mathematical Logic [Lambda calculus].

Key words and phrases: Pattern matching, copattern matching, algebraic data types, codata, coalgebras, conservative extension, strong normalization, weak normalization, abstract reduction system (ARS).

This work has been presented at RTA-TLCA 2014 [[SAPT14](#)].

1. INTRODUCTION

Finite inductive data such as lists and trees can be elegantly defined via constructors, and programmers are able to case-analyze and manipulate finite data in functional languages using pattern matching. To compile functional languages supporting pattern matching, we typically elaborate complex and nested pattern matches into a series of simple patterns which can be easily compiled into efficient code (see for example [Aug85]). This is typically the first step in translating the source language to a low-level target language which can be efficiently executed. It is also an important step towards developing a core calculus supporting well-founded recursive functions.

Dual to finite data, coinductive data such as streams can be defined by observations such as head and tail. This view was pioneered by Hagino [Hag87] who modelled finite objects via initial algebras and infinite objects via final coalgebras in category theory. This led to the design of symML, a dialect of ML where we can for example define the codata-type of streams via the destructors `head` and `tail` which describe the observations we can make about streams [Hag89]. Cockett and Fukushima [CF92] continued this line of work and designed a language *Charity* where one programs directly with the morphisms of category theory. Our recent work [APTS13] extends these ideas and introduces *copattern* matching for analyzing infinite data. This novel perspective on defining infinite structures via their observations leads to a new symmetric foundation for functional languages where inductive and coinductive data types can be mixed.

In this paper, we elaborate our high-level functional language which supports nested patterns and copatterns into a language of simple patterns and copatterns. Similar to pattern compilation in Idris [Bra13] or Agda, our translation into simple patterns is guided by the coverage algorithm. We show that the translation into our core language of simple patterns is conservative, i.e. the multi-step reduction relations of both languages coincide for terms of the original language. Furthermore, we show that the translation preserves strong normalization (SN) and weak normalization (WN): a term of the original language is SN or WN in one language if and only if it has this property in the other.

The paper is organized as follows: We describe the core language including pattern and copattern matching in Sect. 2. In Sect. 3, we explain the translation into simple patterns. In Sect. 4 we develop criteria which guarantee that extensions of abstract reduction systems are conservative and preserve SN or WN. We use these criteria in Section 5 to show that the translation of patterns into simple patterns is a conservative extension preserving SN and WN.

2. A CORE LANGUAGE FOR COPATTERN MATCHING

In this section, we summarize the basic core language with (co)recursive data types and support for (co)pattern described in previous work [APTS13].

2.1. Types and Terms. A language $\mathcal{L} = (\mathcal{F}, \mathcal{C}, \mathcal{D})$ consists of a finite set \mathcal{F} of *constants* (function symbols), a finite set \mathcal{C} of *constructors*, and a finite set \mathcal{D} of *destructors*. We will in the following assume one fixed language \mathcal{L} , with pairwise disjoint \mathcal{F} , \mathcal{C} , and \mathcal{D} . We write f, c, d for elements of $\mathcal{F}, \mathcal{C}, \mathcal{D}$, respectively.

Our type language includes $\mathbf{1}$ (unit), $A \times B$ (products), $A \rightarrow B$ (functions), disjoint unions D (labelled sums, “data”), records R (labelled products), least fixed points $\mu X.D$, and greatest fixed points $\nu X.R$.

$$\begin{array}{ll} \text{Types} & A, B, C ::= X \mid \mathbf{1} \mid A \times B \mid A \rightarrow B \mid \mu X.D \mid \nu X.R \\ \text{Variants} & D ::= \langle c_1 A_1 \mid \dots \mid c_n A_n \rangle \\ \text{Records} & R ::= \{d_1 : A_1, \dots, d_n : A_n\} \end{array}$$

In the above, let the c_i be different and likewise the d_i . Variant types $\langle c_1 A_1 \mid \dots \mid c_n A_n \rangle$, finite maps from constructors to types, appear only in recursive data types $\mu X.D$. Records $\{d_1 : A_1, \dots, d_n : A_n\}$, finite maps from destructors to types, list the fields d_i of a recursive record type $\nu X.R$. To illustrate, we define natural numbers Nat , lists, Nat -streams, and colists:

$$\begin{array}{ll} \text{Nat} & := \mu X.(\text{zero } \mathbf{1} \mid \text{suc } X) \\ \text{List } A & := \mu X.(\text{nil } \mathbf{1} \mid \text{cons } (A \times X)) \\ \text{StrN} & := \nu X.\{\text{head} : \text{Nat}, \text{tail} : X\} \\ \text{CoList } A & := \nu X.\{\text{out} : \mu_.(\text{nil } \mathbf{1} \mid \text{cons } (A \times X))\} \end{array}$$

In our non-polymorphic calculus, type variables X only serve to construct recursive data types and recursive record types. As usual, $\mu X.D$ ($\nu X.R$, resp.) binds type variable X in D (R , resp.). Capture-avoiding substitution of type C for variable X in type A is denoted by $A[X := C]$. A type is *well-formed* if it has no free type variables; in the following, we assume that all types are well-formed.

We write $c \in D$ when $c A$ is part of the variant D for some A and define the type of constructor c as $(\mu X.D)_c := A[X := \mu X.D]$. Analogously, we write $d \in R$ when $d:A$ is part of the record R for some A and define the type of the destructor d as $(\nu X.R)_d := A[X := \nu X.R]$.

A signature for \mathcal{L} is a map Σ from \mathcal{F} into the set of types. Unless stated differently, we assume one fixed signature Σ . A typed language is a pair (\mathcal{L}, Σ) where \mathcal{L} is a language and Σ is a signature for \mathcal{L} . We sometimes write Σ instead of (\mathcal{L}, Σ) . We write $f \in \Sigma$ if $\Sigma(f)$ is defined, i.e. $f \in \mathcal{F}$. Next, we define the grammar of *terms* of a language $\mathcal{L} = (\mathcal{F}, \mathcal{C}, \mathcal{D})$.

$$\begin{array}{lll} e, r, s, t, u ::= & x & \text{Variable} \quad | \quad f & \text{Defined constant (function)} \\ & () & \text{Unit (empty tuple)} \quad | \quad t_1 t_2 & \text{Application} \\ & (t_1, t_2) & \text{Pair} \quad | \quad t . d & \text{Destructor application} \\ & c t & \text{Constructor application} \end{array}$$

Terms are categorized as

- identifiers: variables x and defined constants f ,
- *introduction forms*: unit $()$, pairs (t_1, t_2) , and constructed terms $c t$, for the *positive* types $\mathbf{1}$, $A \times B$, and $\mu X.D$, respectively,
- *elimination forms*: application $t_1 t_2$ and projection $t . d$ for *negative* types $A \rightarrow B$ and $\nu X.R$, respectively.

There are no elimination forms for positive types, since we define programs via rewrite rules and employ *pattern matching*. Similarly, there are no introduction forms for negative types, since this will be handled by *copattern matching*.

$$\begin{array}{c}
\frac{\Delta(x) = A}{\Delta \vdash x : A} \quad \frac{}{\Delta \vdash () : \mathbf{1}} \quad \frac{\Delta \vdash t_1 : A_1 \quad \Delta \vdash t_2 : A_2}{\Delta \vdash (t_1, t_2) : A_1 \times A_2} \quad \frac{\Delta \vdash t : (\mu X.D)_c}{\Delta \vdash c t : \mu X.D} \\
\\
\frac{}{\Delta \vdash f : \Sigma(f)} \quad \frac{\Delta \vdash t : A \rightarrow B \quad \Delta \vdash u : A}{\Delta \vdash t u : B} \quad \frac{\Delta \vdash t : \nu X.R}{\Delta \vdash t .d : (\nu X.R)_d}
\end{array}$$

Figure 1: Rules for typing terms $\Delta \vdash t : A$.

$$\begin{array}{c}
\frac{x : A \vdash_{\text{pat}} x : A}{\cdot \vdash_{\text{pat}} () : \mathbf{1}} \quad \frac{\Delta_1 \vdash_{\text{pat}} p_1 : A_1 \quad \Delta_2 \vdash_{\text{pat}} p_2 : A_2}{\Delta_1, \Delta_2 \vdash_{\text{pat}} (p_1, p_2) : A_1 \times A_2} \quad \frac{\Delta \vdash_{\text{pat}} p : (\mu X.D)_c}{\Delta \vdash_{\text{pat}} c p : \mu X.D} \\
\\
\frac{}{\cdot \vdash_{\text{cop}} f : \Sigma(f)} \quad \frac{\Delta_1 \vdash_{\text{cop}} q : A \rightarrow B \quad \Delta_2 \vdash_{\text{pat}} p : A}{\Delta_1, \Delta_2 \vdash_{\text{cop}} q p : B} \quad \frac{\Delta \vdash_{\text{cop}} q : \nu X.R}{\Delta \vdash_{\text{cop}} q .d : (\nu X.R)_d}
\end{array}$$

Figure 2: Typing patterns $\Delta \vdash_{\text{pat}} p : A$ and copatterns $\Delta \vdash_{\text{cop}} q : C$. (Variables in Δ_1 and Δ_2 are required to be disjoint.)

Note that we write destructor application as if it were a (post) application. In previous work [APTS13] it was written without space as $t.d$, traditionally used for projection of fields. We use the convention that $s t .d$ stands for $(s t) .d$.

We write term substitutions as $s[x_1 := t_1, \dots, x_n := t_n]$ or short $s[\vec{x} := \vec{t}]$. Contexts Δ are finite maps from variable to types, written as lists of pairs $x_1 : A_1, \dots, x_n : A_n$, or short $\vec{x} : \vec{A}$, with \cdot denoting the empty context. We write $\Delta \rightarrow A$ or $\vec{A} \rightarrow A$ for n -ary curried function types $A_1 \rightarrow \dots \rightarrow A_n \rightarrow A$ (but A may still be a function type), and $s \vec{t}$ for n -ary curried application $s t_1 \dots t_n$.

The typing rules for terms (relative to a typed language Σ) are defined in Figure 1. If we want to explicitly refer to a given typed language (\mathcal{L}, Σ) or Σ we write $\Delta \vdash_{\mathcal{L}, \Sigma} A$ or $\Delta \vdash_{\Sigma} A$, similarly for later notions of \vdash .

2.2. Patterns and copatterns. For each $f \in \mathcal{F}$, we will determine the rewrite rules for f as a set of pairs $(q \rightarrow r)$ where q is a copattern, sometimes referred to as *left hand side* (lhs), and r a term, sometimes referred to as *right hand side* (rhs). Patterns p and copatterns q are special terms given by the grammar below, where $c \in \mathcal{C}$ and $d \in \mathcal{D}$.

$$\begin{array}{lll}
p ::= x & \text{Variable pattern} & q ::= f \quad \text{Head (constant)} \\
| () & \text{Unit pattern} & | q p \quad \text{Application copattern} \\
| (p_1, p_2) & \text{Pair pattern} & | q .d \quad \text{Destructor copattern} \\
| c p & \text{Constructor pattern} &
\end{array}$$

Pattern and copattern typing is defined in Figure 2. It computes a context Δ containing all the variables in the (co)pattern. It ensures that p and q are *linear*, i.e. each variable of Δ occurs exactly once in p or q . The distinction between patterns and copatterns is in this article only relevant in this grammar and in the rules for typing patterns and copatterns, therefore we will often write simply “pattern” for both.

$$\frac{\Delta \vdash_{\text{cop}} q : A \quad \Delta \vdash t : A}{\Delta \vdash q \longrightarrow t : A}$$

Figure 3: Typing rule for $\Delta \vdash q \longrightarrow t : A$

Figure 3 shows the typing of reduction rules. Note that context Δ and type A of the reduction rule can be computed from the copattern q , given the type of the head f of q . Thus, reduction rules need no user-supplied type information to be type checked.

Lemma 2.1 ((Co)pattern substitution). *Let $\Delta' \vdash_{\text{pat}} p' : A$, and variables in Δ and Δ' be disjoint.*

- (a) *If $\Delta, x:A \vdash_{\text{pat}} p : C$ then $\Delta, \Delta' \vdash_{\text{pat}} p[x := p'] : C$.*
- (b) *If $\Delta, x:A \vdash_{\text{cop}} q : C$ then $\Delta, \Delta' \vdash_{\text{cop}} q[x := p'] : C$.*

Proof. First (a) by induction on p , then (b) by induction on q . \square

Lemma 2.2. *If $\Delta \vdash_{\text{cop}} q : C$ then each variable x in Δ occurs in q exactly once. Furthermore x is not applied in q to another term or destructor.*

Proof. Obvious. \square

Example 2.3 (Cycling numbers). Function `cyc` of type `Nat → StrN`, when passed an integer n , produces a stream $n, n - 1, \dots, 1, 0, N, N - 1, \dots, 1, 0, N, N - 1, \dots$ for some predefined constant N . To define this function we match on the input n and also observe the resulting stream, highlighting the mix of pattern and copattern matching. The rules for `cyc` are the following:

$$\begin{array}{lll} \text{cyc } x & .\text{head} & \longrightarrow x \\ \text{cyc } (\text{zero } ()) & .\text{tail} & \longrightarrow \text{cyc } N \\ \text{cyc } (\text{suc } x) & .\text{tail} & \longrightarrow \text{cyc } x \end{array}$$

Example 2.4 (Fibonacci Stream). Nested destructor copatterns appear in the following definition of the stream of Fibonacci numbers. It uses `zipWith` $_+_-$ which is the pointwise addition of two streams.

$$\begin{array}{ll} \text{zipWith } f s t .\text{head} & \longrightarrow f(s.\text{head})(t.\text{head}) \\ \text{zipWith } f s t .\text{tail} & \longrightarrow \text{zipWith } f(s.\text{tail})(t.\text{tail}) \\ \\ \text{fib .head} & \longrightarrow 0 \\ \text{fib .tail .head} & \longrightarrow 1 \\ \text{fib .tail .tail} & \longrightarrow \text{zipWith } _+_- \text{ fib } (\text{fib .tail}) \end{array}$$

Example 2.5 (Monoid). If records are used to implement algebraic structures or type classes, it can be convenient to use an application pattern after a projection pattern. Consider a record holding the monoid operations for a given type A :

$$\text{Monoid } A = \nu_- \{ \text{mempty} : A; \text{ mappend} : A \rightarrow A \rightarrow A \}$$

The additive monoid on natural numbers can then conveniently implemented by the following copattern matching:

```
monPlus : Monoid Nat
monPlus .mempty          → 0
monPlus .mappend zero    y → y
monPlus .mappend (suc x) y → suc (monPlus .mappend x y)
```

2.3. Coverage. For our purposes, the rules for a constant f are *complete* if every closed well-typed term $f \vec{t}$ of positive type¹ is in introduction form or has a reduction. Alternatively, we could say that all cases for f are uniquely *covered* by the reduction rules. Coverage implies that the execution of a well-typed program does not get stuck, and, since it generates non-overlapping (co)pattersns, is deterministic. That execution of programs does not get stuck has been proven in our previous article [APTS13]; in this article, we extend coverage checking to an algorithm for (co)pattern compilation.

We introduce the judgement $f : A \triangleleft | Q$, called a *coverage complete pattern set for f* (*cc-pattern-set for f*). Here Q is a *set* $(\Delta_i \vdash q_i : C_i)_{i=1,\dots,n}$ of typed patterns, and juxtaposition $Q Q'$ denotes the disjoint union $Q \uplus Q'$, for instance, $Q (\Delta \vdash q : C)$ denotes $Q \uplus \{\Delta \vdash q : C\}$. Note that Q is a set, and therefore writing $Q = Q' (\Delta \vdash q : C)$ does not mean that $(\Delta \vdash q : C)$ is the last element of Q —in fact, Q has no order. If $f : A \triangleleft | Q$ then the constant f of type A can be defined by the coverage complete copatterns q_i (depending on variables in Δ_i) together with rewrite rules $q_i \rightarrow t_i$ for some $\Delta_i \vdash t_i : C_i$.

Result splitting:

$$\frac{}{f : A \triangleleft | (\cdot \vdash f : A)} \text{C}_{\text{Head}} \quad \frac{f : A \triangleleft | Q (\Delta \vdash q : B \rightarrow C)}{f : A \triangleleft | Q (\Delta, x : B \vdash q x : C)} \text{C}_{\text{App}}$$

$$\frac{f : A \triangleleft | Q (\Delta \vdash q : \nu X.R)}{f : A \triangleleft | Q (\Delta \vdash q .d : (\nu X.R)_d)_{d \in R}} \text{C}_{\text{Dest}}$$

Variable splitting:

$$\frac{f : A \triangleleft | Q (\Delta, x : \mathbf{1} \vdash q : C)}{f : A \triangleleft | Q (\Delta \vdash q[x := ()] : C)} \text{C}_{\text{Unit}}$$

$$\frac{f : A \triangleleft | Q (\Delta, x : A_1 \times A_2 \vdash q : C)}{f : A \triangleleft | Q (\Delta, x_1 : A_1, x_2 : A_2 \vdash q[x := (x_1, x_2)] : C)} \text{C}_{\text{Pair}}$$

$$\frac{f : A \triangleleft | Q (\Delta, x : \mu X.D \vdash q : C)}{f : A \triangleleft | Q (\Delta, x' : (\mu X.D)_c \vdash q[x := c x'] : C)_{c \in D}} \text{C}_{\text{Const}}$$

Figure 4: Coverage rules

¹Restricting to $f \vec{t} : A$ of positive type A guarantees that f is fully applied to function arguments and destructors. Underapplied instances of f might be stuck as the argument or projection we want to match on is not present.

$$\frac{f : \Sigma(f) \triangleleft | (\Delta_i \vdash q_i : C_i)_{i=1,\dots,n} \quad \Delta_i \vdash t_i : C_i \ (i = 1, \dots, n)}{f : \Sigma(f) \triangleleft | (\Delta_i \vdash q_i \rightarrow t_i : C_i)_{i=1,\dots,n}}$$

Figure 5: Rules for coverage complete set of rules (cc-rule-set) for f

The rules for deriving cc-pattern-sets are presented in Figure 4. In the variable splitting rules, the split variable is written as the last element of the context. Because contexts are finite maps they have no order—any variable can be split.

The judgement $f : \Sigma(f) \triangleleft | Q (\Delta \vdash q : C)$, called a *coverage complete set of rules for f* (*cc-rule-set for f*), has the derivation rule given in Fig. 5. In this situation $f : \Sigma(f) \triangleleft | (\Delta_i \vdash q_i : C_i)_{i=1,\dots,n}$ is called the *underlying cc-pattern-set of the cc-rule-set*. The corresponding *term rewriting rules for f* are $q_i \rightarrow t_i$.

Lemma 2.6 (Well-typedness of cc-pattern- and -rule-sets).

- (a) If $f : \Sigma(f) \triangleleft | Q (\Delta \vdash q : C)$ then $\Delta \vdash_{\text{cop}} q : C$.
- (b) If $f : \Sigma(f) \triangleleft | Q (\Delta \vdash q \rightarrow t : C)$ then $\Delta \vdash q \rightarrow t : C$.

Proof. (a) By induction on coverage, using substitution lemma 2.1 for the variable splitting cases. Part (b) follows from (a). \square

A program \mathcal{P} over the typed language Σ is a function mapping each constant f to a cc-rule-set \mathcal{P}_f for f . We write $t \rightarrow_{\mathcal{P}} t'$ for one-step reduction of term t to t' using the compatible closure² of the term rewriting rules in \mathcal{P} , and drop index \mathcal{P} if clear from the context of discourse. We further write $\rightarrow_{\mathcal{P}}^*$ for its transitive and reflexive closure and $\rightarrow_{\mathcal{P}}^{\geq 1}$ for its transitive closure.

Example 2.7 (Deriving a cc-pattern-set for `cyc`). We start with C_{Head}

$$\text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft | (\cdot \vdash \text{cyc} : \text{Nat} \rightarrow \text{StrN})$$

We apply x to the head by C_{App} .

$$\text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft | (x : \text{Nat} \vdash \text{cyc } x : \text{StrN})$$

Then we split the result by C_{Dest} .

$$\text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft | \begin{array}{l} (x : \text{Nat} \vdash \text{cyc } x . \text{head} : \text{Nat}) \\ (x : \text{Nat} \vdash \text{cyc } x . \text{tail} : \text{StrN}) \end{array}$$

In the second copattern, we split x using C_{Const} .

$$\text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft | \begin{array}{l} (x : \text{Nat} \vdash \text{cyc } x . \text{head} : \text{Nat}) \\ (x : 1 \vdash \text{cyc } (\text{zero } x) . \text{tail} : \text{StrN}) \\ (x : \text{Nat} \vdash \text{cyc } (\text{suc } x) . \text{tail} : \text{StrN}) \end{array}$$

We finish by applying C_{Unit} which replaces x by $()$ in the second clause.

$$\text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft | \begin{array}{l} (x : \text{Nat} \vdash \text{cyc } x . \text{head} : \text{Nat}) \\ (\cdot \vdash \text{cyc } (\text{zero } ()) . \text{tail} : \text{StrN}) \\ (x : \text{Nat} \vdash \text{cyc } (\text{suc } x) . \text{tail} : \text{StrN}) \end{array}$$

This concludes the derivation of the cc-pattern-set for the `cyc` function.

²Closure under all term constructors, see e.g. Def. 2.2.4 of [Ter03].

3. REDUCTION OF NESTED TO SIMPLE PATTERN MATCHING

In the following, we describe a translation of deep (aka nested) (co)pattern matching (i.e. pattern matching as defined before) into shallow (aka non-nested) pattern matching, which we will call *simple* pattern matching. We are certainly not the first to describe such a translation, except maybe for copatterns, but we have special requirements for our translation. The obvious thing to ask for is *simulation*, *i.e.* each reduction step in the original program should correspond to one or more reduction steps in the translated program. However, we want the translation also to *preserve and reflect normalization*: A term in the original program terminates, if and only if it terminates in the translated program. Preservation of normalization is important for instance in dependently typed languages such as Agda, where the translated programs are run during type checking and need to behave exactly like the original, user-written programs.

The strong normalization property is lost by some of the popular translations. For instance, translating rewrite rules to fixed-point- and case-combinators breaks normalization, simply because fixed-point combinators reduce by themselves, allowing infinite reduction sequences immediately. The same problem arises with special fixed-point combinators that only unfold if their principal argument is a constructor term, or dually, co-fixed-point combinators that only unfold if their result is observed.³ Consider the following translation of a function f with deep matching into such a fixed-point combinator:

$$\begin{array}{lll} f(\text{zero}()) & \longrightarrow & \text{zero}() \\ f(\text{suc}(\text{zero}())) & \longrightarrow & \text{zero}() \\ f(\text{suc}(\text{suc } x)) & \longrightarrow & f(\text{suc } x) \end{array} \rightsquigarrow \text{fix } f(x).\text{case } x \text{ of } \left\{ \begin{array}{lll} \text{zero}() & \longrightarrow & \text{zero}() \\ \text{suc}(\text{zero}()) & \longrightarrow & \text{zero}() \\ \text{suc}(\text{suc } x) & \longrightarrow & f(\text{suc } x) \end{array} \right.$$

While the term $f(\text{suc } x)$ terminates for the original program simply because no pattern matches (i.e. no rewrite rule applies), it diverges for the translated program since the fixed-point applied to a constructor unfolds to a term containing the original term as a subterm. A closer look reveals that this special fixed-point combinator preserves normalization for simple pattern matching only.

A particular characteristic of term rewrite systems is that recursion only unfolds when the associated pattern matches—thus, recursion is tied to pattern matching. In the following, we develop a translation of deep patterns that maintains normalization.

3.1. Simple patterns. A simple copattern q_s is of one of the forms $f \vec{x}$ (no matching), $f \vec{x} .d$ (shallow result matching) or $f \vec{x} p_s$ (shallow argument matching) where simple patterns p_s are given by the grammar

$$p_s ::= () \mid (x_1, x_2) \mid c x.$$

Definition 3.1 (Simple coverage-complete pattern sets).

³Such fixed-point combinators are used in the *Calculus of Inductive Constructions*, the core language of Coq [INR12], but have also been studied for sized types [BFG⁺04, Abe06].

(a) *Simple cc-pattern-sets* $f : A \triangleleft|_s Q$ are defined as follows ($\Delta = \vec{x} : \vec{A}$):

$$f : \Delta \rightarrow A \quad \triangleleft|_s (\Delta \vdash f \vec{x} : A)$$

$$f : \Delta \rightarrow \nu X.R \quad \triangleleft|_s (\Delta \vdash f \vec{x} .d : (\nu X.R)_d)_{d \in R}$$

$$f : \Delta \rightarrow \mathbf{1} \rightarrow A \quad \triangleleft|_s (\Delta \vdash f \vec{x} () : A)$$

$$f : \Delta \rightarrow (B_1 \times B_2) \rightarrow A \quad \triangleleft|_s (\Delta, y_1 : B_1, y_2 : B_2 \vdash f \vec{x} (y_1, y_2) : A)$$

$$f : \Delta \rightarrow (\mu X.D) \rightarrow A \quad \triangleleft|_s (\Delta, x' : (\mu X.D)_c \vdash f \vec{x} (c x') : A)_{c \in D}$$

(b) A cc-rule-set is *simple* if the underlying cc-pattern-set is simple. A constant in a program is *simple*, if its cc-rule-set is simple. A program is *simple* if all its constants are simple.

Remark 3.2. If $f : A \triangleleft|_s Q$ then $f : A \triangleleft| Q$.

3.2. The translation algorithm by example. Neither the `cyc` function nor the Fibonacci stream are simple. The translation into simple patterns introduces auxiliary function symbols which are obtained as follows: We start from the bottom of the derivation tree of a non simple cc-pattern-set, remove the last derivation step, and create a new function symbol. This function takes as arguments the variables from the original function we have not split on and the (co)pattern matches from the last derivation set of the original derivation. Let us walk through the algorithm of transforming patterns into simple patterns for the `cyc` function. The original program is

$$\begin{aligned} & (x : \text{Nat} \vdash \text{cyc } x \quad .\text{head} \longrightarrow x \quad : \text{Nat}) \\ \text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft| & (\quad \vdash \text{cyc } (\text{zero } ()) \quad .\text{tail} \longrightarrow \text{cyc } N : \text{StrN}) \\ & (x : \text{Nat} \vdash \text{cyc } (\text{suc } x) \quad .\text{tail} \longrightarrow \text{cyc } x : \text{StrN}) \end{aligned}$$

In the derivation of the underlying cc-pattern-set, the last step was C_{Unit} replacing pattern variable $x : \mathbf{1}$ by pattern $()$. We introduce a new constant g_2 with a simple cc-rule-set and replace the right hand side of the split clause with a call to g_2 in the cc-rule-set of `cyc`. We obtain the following program:

$$\begin{aligned} \text{cyc} : \text{Nat} \rightarrow \text{StrN} \triangleleft & (x : \text{Nat} \vdash \text{cyc } x \quad .\text{head} \longrightarrow x \quad : \text{Nat}) \\ & (x : \mathbf{1} \vdash \text{cyc } (\text{zero } x) \quad .\text{tail} \longrightarrow g_2 x \quad : \text{StrN}) \\ & (x : \text{Nat} \vdash \text{cyc } (\text{suc } x) \quad .\text{tail} \longrightarrow \text{cyc } x : \text{StrN}) \\ g_2 : \mathbf{1} \rightarrow \text{StrN} \triangleleft|_s & (\cdot \vdash g_2 () \longrightarrow \text{cyc } N : \text{StrN}) \end{aligned}$$

Let a term in the new language be *good*, if all occurrences of the new function symbol g_2 are fully applied (in this case, applied to one argument). We can define a back-translation interp of good terms into the original language by recursively replacing $g_2 s$ by $\text{cyc } (\text{zero } s) \text{.tail}$ for any term s .

The second last step in the derivation of the cc-pattern-set was a split of pattern variable $x : \text{Nat}$ into `zero` x and `suc` x using C_{Const} . Again, we introduce a simple auxiliary function

g_1 , which performs just this split and obtain a simple program with mutually recursive functions cyc , g_1 , and g_2 :

$$\begin{array}{lll} \text{cyc} : \text{Nat} \rightarrow \text{StrN} & \triangleleft_s & \begin{array}{l} (x : \text{Nat} \vdash \text{cyc } x . \text{head} \longrightarrow x : \text{Nat}) \\ (x : \text{Nat} \vdash \text{cyc } x . \text{tail} \longrightarrow g_1 x : \text{StrN}) \end{array} \\ g_1 : \text{Nat} \rightarrow \text{StrN} & \triangleleft_s & \begin{array}{l} (x : \mathbf{1} \vdash g_1 (\text{zero } x) \longrightarrow g_2 x : \text{StrN}) \\ (x : \text{Nat} \vdash g_1 (\text{suc } x) \longrightarrow \text{cyc } x : \text{StrN}) \end{array} \\ g_2 : \mathbf{1} \rightarrow \text{StrN} & \triangleleft_s & (\cdot \vdash g_2 () \longrightarrow \text{cyc } N : \text{StrN}) \end{array}$$

The back-interpretation of g_1 for good terms of the new program replaces recursively $g_1 s$ by $\text{cyc } s . \text{tail}$. We note the following:

- (a) The translation can be performed by induction on the derivation of coverage; or, one can do the translation while checking coverage.⁴
- (b) The generated functions are simple upon creation and need not be processed recursively. The right hand sides of these functions are either right hand sides of the original program or calls to earlier generated functions applied to exactly the pattern variables in context.
- (c) When generating a function, it is invoked on the pattern variables in context. We can define a function interp which interprets this generated function back into terms of the original program (if applied to good terms).
- (d) Since we gave earlier created functions (here: g_2) a higher index than later created functions (here: g_1), calls between generated functions increase the index. There can only be finitely many calls between generated functions before executing an original right hand side again as coverage derivations have only finitely many steps. This fact ensures preservation of normalization (see later).
- (e) Calls between generated functions are undone by the back translation interp , thus the corresponding reduction steps vanish under interp .

In the case of the Fibonacci stream, the copattern matching of zipWith is already simple. The translation of fib is the following:

$$\begin{array}{ll} \text{fib} . \text{head} & \longrightarrow 0 \\ \text{fib} . \text{tail} & \longrightarrow g \\ \\ g . \text{head} & \longrightarrow 1 \\ g . \text{tail} & \longrightarrow \text{zipWith } _+ _ \text{ fib} (\text{fib} . \text{tail}) \end{array}$$

3.3. The translation algorithm. Let \mathcal{P} be the input program for typed language Σ . Let \mathcal{P}_f be a non-simple cc-rule-set of \mathcal{P} . Consider the last step in the derivation of the underlying cc-pattern-set. Since \mathcal{P}_f is non-simple, this step cannot be C_{Head} . Assume

$$\mathcal{P}_f = f : \Sigma(f) \triangleleft | Q (\Delta_i \vdash q_i \longrightarrow t_i : C_i)_{i \in I}.$$

where I refers to the index set representing the splitting from the rule. If the rule is C_{Const} , then I is the set of constructors $\{c \mid c \in D\}$ for some variant D . Similarly for rule C_{Dest}

⁴This is actually happening in the language Idris [Bra13]; Agda [Nor07] has separate phases, but uses the split tree generated by the coverage checker to translate pattern matching into case trees.

$I = \{r \mid r \in R\}$. The other rules C_{App} , C_{Unit} , and C_{Pair} do not split into multiple cases, and we set $I = \{0\}$. Let the last step in the derivation of the underlying cc-pattern-set be

$$\frac{f : \Sigma(f) \triangleleft | Q (\Delta' \vdash q : A)}{f : \Sigma(f) \triangleleft | Q (\Delta_i \vdash q_i : C_i)_{i \in I}} C$$

We extend Σ to Σ' by adding one fresh constant $g : \Delta' \rightarrow A$. Let $\Delta' = \vec{y} : \vec{A}$. Depending on rule C we introduce below a simple q'_i and define the program \mathcal{P}' for the typed language Σ' by cases on the function symbol h :

$$\begin{aligned}\mathcal{P}'_f &= f : \Sigma(f) \triangleleft | Q (\Delta' \vdash q \rightarrow g \vec{y} : A) \\ \mathcal{P}'_g &= g : \Delta' \rightarrow A \triangleleft_s (\Delta_i \vdash q'_i \rightarrow t_i : C_i)_{i \in I} \\ \mathcal{P}'_h &= \mathcal{P}_h \quad \text{if } h \notin \{f, g\}\end{aligned}$$

Note that the underlying cc-pattern-set for f is as in the premise of C . Furthermore, \mathcal{P}'_g is simple, and all other constants are left unchanged. Therefore the height of the derivation for the cc-pattern-set for f is reduced by 1. We then recursively apply the algorithm on \mathcal{P}' . Since each step of the algorithm makes the coverage derivation of one non-simple function shorter and the new constants are simple, the algorithm terminates, returning only simple constants.

In case of variable splitting, we always reorder Δ' such that the variable we split on appears last. When referring to a context Δ , assume $\Delta = \vec{x} : \vec{A}$.

Case $q x \rightarrow t$ and C is

$$\frac{f : \Sigma(f) \triangleleft | Q (\Delta \vdash q : B \rightarrow C)}{f : \Sigma(f) \triangleleft | Q (\Delta, x : B \vdash q x : C)} C_{App}$$

Define $q'_0 = g \vec{x} x$. Therefore,

$$\begin{aligned}\mathcal{P}'_f &= f : \Sigma(f) \triangleleft | Q (\Delta \vdash q \rightarrow g \vec{x} : B \rightarrow C) \\ \mathcal{P}'_g &= g : \Delta \rightarrow B \rightarrow C \triangleleft_s (\Delta, x : B \vdash g \vec{x} x \rightarrow t : C)\end{aligned}$$

Case $q . d \rightarrow t_d$ for all $d \in R$ and C is

$$\frac{f : \Sigma(f) \triangleleft | Q (\Delta \vdash q : \nu X. R)}{f : \Sigma(f) \triangleleft | Q (\Delta \vdash q . d : (\nu X. R)_d)_{d \in R}} C_{Dest}$$

Define $q'_d = g \vec{x} . d$. Therefore,

$$\begin{aligned}\mathcal{P}'_f &= f : \Sigma(f) \triangleleft | Q (\Delta \vdash q \rightarrow g \vec{x} : \nu X. R) \\ \mathcal{P}'_g &= g : \Delta \rightarrow \nu X. R \triangleleft_s (\Delta \vdash g \vec{x} . d \rightarrow t_d : (\nu X. R)_d)_{d \in R}\end{aligned}$$

Case $q[x' := ()] \rightarrow t$ and C is

$$\frac{f : \Sigma(f) \triangleleft | Q (\Delta, x' : \mathbf{1} \vdash q : C)}{f : \Sigma(f) \triangleleft | Q (\Delta \vdash q[x' := ()] : C)} C_{Unit}$$

Define $q'_0 := g \vec{x} ()$. Therefore,

$$\begin{aligned}\mathcal{P}'_f &= f : \Sigma(f) \triangleleft | Q (\Delta, x' : \mathbf{1} \vdash q \rightarrow g \vec{x} x' : C) \\ \mathcal{P}'_g &= g : \Delta \rightarrow \mathbf{1} \rightarrow C \triangleleft_s (\Delta \vdash g \vec{x} () \rightarrow t : C)\end{aligned}$$

Case $q[x' := (x_1, x_2)] \rightarrow t$ and C is

$$\frac{f : \Sigma(f) \triangleleft | Q (\Delta, x' : A_1 \times A_2 \vdash q : C)}{f : \Sigma(f) \triangleleft | Q (\Delta, x_1 : A_1, x_2 : A_2 \vdash q[x' := (x_1, x_2)] : C)} \text{C}_{\text{Pair}}$$

Define $q'_0 = g \vec{x} (x_1, x_2)$. Therefore,

$$\begin{aligned} \mathcal{P}'_f &= f : \Sigma(f) \triangleleft | Q (\Delta, x' : A_1 \times A_2 \vdash q \rightarrow g \vec{x} x' : C) \\ \mathcal{P}'_g &= g : \Delta \rightarrow (A_1 \times A_2) \rightarrow C \triangleleft_{\text{s}} | (\Delta, x_1 : A_1, x_2 : A_2 \vdash g \vec{x} (x_1, x_2) \rightarrow t : C) \end{aligned}$$

Case $q[x' := c x'] \rightarrow t_c$ for all $c \in D$ and C is

$$\frac{f : \Sigma(f) \triangleleft | Q (\Delta, x' : \mu X.D \vdash q : C)}{f : \Sigma(f) \triangleleft | Q (\Delta, x' : (\mu X.D)_c \vdash q[x' := c x'] : C)_{c \in D}} \text{C}_{\text{Const}}$$

Define $q'_c := g \vec{x} (c x')$. Therefore,

$$\begin{aligned} \mathcal{P}'_f &= f : \Sigma(f) \triangleleft | Q (\Delta, x' : \mu X.D \vdash q \rightarrow g \vec{x} x' : C) \\ \mathcal{P}'_g &= g : \Delta \rightarrow \mu X.D \rightarrow C \triangleleft_{\text{s}} | (\Delta, x' : (\mu X.D)_c \vdash g \vec{x} (c x') \rightarrow t_c : C)_{c \in D} \end{aligned}$$

4. EXTENSIONS OF ABSTRACT REDUCTION SYSTEMS

It is easy to see that a reduction in the original program \mathcal{P} (over Σ) corresponds to possibly multiple reductions in the translated language \mathcal{P}' (over Σ'). What is more difficult to prove is that we do not get *additional* reductions, i.e. if $t \not\rightarrow_{\mathcal{P}}^* t'$ then it is impossible to reduce t to t' using reductions and intermediate terms in \mathcal{P}' . We call this notion a *conservative extension*. Even this will not be sufficient as pointed out in Sect. 3, we need in addition preservation of normalization. We will define and explore the corresponding notions more generally for *abstract reduction systems (ARS)*.

An ARS is a pair $(\mathcal{A}, \rightarrow)$, often just written \mathcal{A} , such that \mathcal{A} is a set and \rightarrow is a binary relation on \mathcal{A} written infix. Let \rightarrow^* be the transitive-reflexive and $\rightarrow^{\geq 1}$ be the transitive closure of \rightarrow . An element $a \in \mathcal{A}$ is in *normal form (NF)* if $a \not\rightarrow$, i.e. there is no $a' \in \mathcal{A}$ such that $a \rightarrow a'$. It is *weakly normalizing (WN)* if there exists an $a' \in \mathcal{A}$ in NF such that $a \rightarrow^* a'$. Element a is *strongly normalizing (SN)* if there exist no infinite reduction sequence $a = a_0 \rightarrow a_1 \rightarrow a_2 \rightarrow \dots$. Let SN, WN, NF be the set of elements in \mathcal{A} which are SN, WN, NF respectively. For a reduction system $(\mathcal{A}', \rightarrow')$, let SN', WN', NF' be the elements of \mathcal{A}' which are \rightarrow' -SN, -WN, -NF.

Let $(\mathcal{A}, \rightarrow), (\mathcal{A}', \rightarrow')$ be ARS such that $\mathcal{A} \subseteq \mathcal{A}'$. Then,

$$\begin{aligned} \mathcal{A}' \text{ is a conservative extension of } \mathcal{A} &\quad \text{iff } \forall a, a' \in \mathcal{A}. a \rightarrow^* a' \Leftrightarrow a \rightarrow'^* a' \\ \mathcal{A}' \text{ is an SN-preserving extension of } \mathcal{A} &\quad \text{iff } \forall a \in \mathcal{A}. a \in \text{SN} \Leftrightarrow a \in \text{SN}' \\ \mathcal{A}' \text{ is a WN-preserving extension of } \mathcal{A} &\quad \text{iff } \forall a \in \mathcal{A}. a \in \text{WN} \Leftrightarrow a \in \text{WN}' \end{aligned}$$

Lemma 4.1 (Transitivity of conservative/SN/WN-preserving extensions). *Let $\mathcal{A}, \mathcal{A}', \mathcal{A}''$ be ARSs, \mathcal{A}' be an extension of \mathcal{A} and \mathcal{A}'' an extension of \mathcal{A}' , both of which are conservative, SN-preserving, or WN-preserving extensions. Then \mathcal{A}'' is a conservative, SN-preserving, or WN-preserving extension, respectively, of \mathcal{A} .*

Proof. Obvious. □

In order to show conservativity and normalization preservation, we use the notion of a back-translation from the extended ARS into the original one that we informally described in Section 3.2:

Let $(\mathcal{A}, \rightarrow)$, $(\mathcal{A}', \rightarrow')$ be ARSs such that $\mathcal{A} \subseteq \mathcal{A}'$. Then a *back-interpretation of \mathcal{A}' into \mathcal{A}* is given by

- a set **Good** such that $\mathcal{A} \subseteq \text{Good} \subseteq \mathcal{A}'$; we say a is *good* if $a \in \text{Good}$;
- a function $\text{interp} : \text{Good} \rightarrow \mathcal{A}$ such that $\forall a \in \mathcal{A}. \text{interp}(a) = a$.

We define 3 conditions for a back-interpretation $(\text{Good}, \text{interp})$ where condition (SN 2) refers to a measure $m : \text{Good} \rightarrow \mathbb{N}$:

- (SN 1) $\forall a, a' \in \mathcal{A}. a \rightarrow a' \Rightarrow a \rightarrow'^{\geq 1} a'$.
- (SN 2) If $a \in \text{Good}$, $a' \in \mathcal{A}'$ and $a \rightarrow' a'$ then $a' \in \text{Good}$ and we have $\text{interp}(a) \rightarrow'^{\geq 1} \text{interp}(a')$ or $\text{interp}(a) = \text{interp}(a') \wedge m(a) > m(a')$.
- (WN) If $a \in \text{Good} \cap \text{NF}'$ then $\text{interp}(a) \in \text{NF}$.

The following theorem substantially extends Lem. 1.1.27 of [vR96] and Lem. 2.2.5 of [Sev96]:

Theorem 4.2 (Back-interpretations for ARSs and conservativity, SN, WN). *Let $(\mathcal{A}, \rightarrow)$, $(\mathcal{A}', \rightarrow')$ be ARSs such that $\mathcal{A} \subseteq \mathcal{A}'$. Let $(\text{Good}, \text{interp})$ be a back-interpretation from \mathcal{A}' into \mathcal{A} , $m : \text{Good} \rightarrow \mathbb{N}$. Then the following holds:*

- (a) (SN 1), (SN 2) imply that \mathcal{A}' is a conservative extension of \mathcal{A} preserving SN.
- (b) (SN 1), (SN 2), (WN) imply that \mathcal{A}' is an extension of \mathcal{A} preserving WN.

Proof. (a) Proof of Conservativity: $a \rightarrow^* a'$ implies by (SN 1) $a \rightarrow'^* a'$. If $a, a' \in \mathcal{A}$, $a \rightarrow'^* a'$ then by (SN 2) $a = \text{interp}(a) \rightarrow'^* \text{interp}(a') = a'$.

Proof of preservation of SN: We show the contrapositive $\neg(a \text{ is } \rightarrow\text{-SN}) \Leftrightarrow \neg(a \text{ is } \rightarrow'\text{-SN})$. For “ \Rightarrow ” assume $a = a_0 \rightarrow a_1 \rightarrow a_2 \rightarrow \dots$ is an infinite \rightarrow -reduction sequence starting with a . Then by (SN 1) $a = a_0 \rightarrow'^{\geq 1} a_1 \rightarrow'^{\geq 1} a_2 \rightarrow'^{\geq 1} \dots$ is an infinite \rightarrow' -reduction sequence.

For “ \Leftarrow ” assume $a = a'_0 \rightarrow' a'_1 \rightarrow' a'_2 \rightarrow' \dots$. Then by (SN 2) $a = \text{interp}(a'_0) = \text{interp}(a'_0) \rightarrow'^* \text{interp}(a'_1) \rightarrow'^* \text{interp}(a'_2) \rightarrow'^* \dots$. If $\text{interp}(a'_i) = \text{interp}(a'_{i+1})$ then $m(a'_i) > m(a'_{i+1})$, so by (SN 2) after finitely many steps, where $\text{interp}(a'_i) = \text{interp}(a'_{i+1})$, we must have one step $\text{interp}(a'_j) \rightarrow'^{\geq 1} \text{interp}(a'_{j+1})$. Thus, we obtain an infinite reduction sequence starting with a in \mathcal{A} .

(b) Assume $a \in \mathcal{A}$, $a \in \text{WN}$. Then $a \rightarrow^* a' \in \text{NF}$ for some a' , therefore $a' \in \text{SN}$, by (a) $a' \in \text{SN}'$, $a' \rightarrow'^* a''$ for some $a'' \in \text{NF}'$, therefore $a \rightarrow'^* a' \rightarrow'^* a'' \in \text{NF}'$, $a \in \text{WN}'$. For the other direction, assume $a \in \mathcal{A}$, $a \in \text{WN}'$. Then $a \rightarrow'^* a' \in \text{NF}'$ for some a' , by (SN 2), (WN) $a = \text{interp}(a) \rightarrow'^* \text{interp}(a') \in \text{NF}$, $a \in \text{WN}$.

□

5. PROOF OF CORRECTNESS OF THE TRANSLATION

In our translation we extend our language by new auxiliary constants while keeping the old ones, including their types. More formally, we define $\Sigma \subseteq_{\mathcal{F}} \Sigma'$, pronounced Σ' extends Σ by constants, if (1) Σ' and Σ have the same constructor and destructor symbols \mathcal{C}, \mathcal{D} , (2) the

constants \mathcal{F} of \mathcal{L} form a subset of the constants of \mathcal{L}' , and (3) Σ and Σ' assign the same types to \mathcal{F} .

Let \mathcal{P} be a program for Σ , $\text{Term}_\Sigma = \{t \mid \exists \Delta, A. \Delta \vdash_\Sigma t : A\}$. The *ARS for a program* \mathcal{P} is $(\text{Term}_\Sigma, \rightarrow_{\mathcal{P}})$. Let $\mathcal{P}, \mathcal{P}'$ be programs for typed languages Σ, Σ' , respectively. \mathcal{P}' is an extension of \mathcal{P} iff $\Sigma \subseteq_{\mathcal{F}} \Sigma'$. If \mathcal{P}' is an extension of \mathcal{P} , then \mathcal{P}' is a *conservative*, *SN-preserving*, or *WN-preserving* extension of \mathcal{P} if the corresponding condition holds for the ARSs $(\text{Term}_\Sigma, \rightarrow_{\mathcal{P}})$ and $(\text{Term}_{\Sigma'}, \rightarrow_{\mathcal{P}'})$.

We will define a back-interpretation by replacing the new constants g in terms of the form $g t_1 \dots t_n$ by a term of the original language. Due to lack of λ -abstraction, we only get a term of the original language if g is applied to n arguments. So, for our back translation, we need an $\text{arity}(g) = n$ of new constants, and an interpretation $\text{Interp}(g)$ of those terms:

Assume $\Sigma \subseteq_{\mathcal{F}} \Sigma'$. A *concrete back-interpretation* $(\text{arity}, \text{Interp})$ of Σ' into Σ is given by the following:

- An arity $\text{arity}(g) = n$ assigned to each new constant g of Σ' such that $\Sigma'(g) = A_1 \rightarrow \dots \rightarrow A_n \rightarrow A$ for some types A_1, \dots, A_n, A . Here, A (as well as any A_i) might be a function type.
- For every new constant g of Σ' with $\text{arity}(g) = n$ and $\Sigma'(g) = \Delta \rightarrow A$ where $\Delta = x_1:A_1, \dots, x_n:A_n$ a term $\text{Interp}(g) = t$ of Σ such that $\Delta \vdash t : A$. In this case, we write $\text{Interp}(g)[\vec{t}]$ for $t[\vec{x} := \vec{t}]$.

Assume that $(\text{arity}, \text{Interp})$ is a concrete back-interpretation of Σ' into Σ .

- The set $\text{Good}_{\text{arity}, \text{Interp}}$ of good terms is given by the set of $t \in \text{Term}_\Sigma$ such that each occurrence of a new constant g of arity n in t is applied to at least n arguments.
- If $t \in \text{Good}_{\text{arity}, \text{Interp}}$, then $\text{interp}_{\text{arity}, \text{Interp}}(t)$, in short $\text{interp}(t)$, is obtained by inductively replacing all occurrences of $g \vec{t}$ for new constants g by $\text{Interp}(g)[\text{interp}(\vec{t})]$.

Lemma 5.1 (Concrete back-interpretations are back-interpretations). *Assume $\Sigma \subseteq_{\mathcal{F}} \Sigma'$ and $(\text{arity}, \text{Interp})$ is a concrete back interpretation of Σ' into Σ . Then the pair $(\text{Good}_{\text{arity}, \text{Interp}}, \text{interp}_{\text{arity}, \text{Interp}})$ is a back-interpretation of $\text{Term}_{\Sigma'}$ into Term_Σ .*

We now have the definitions in place to prove SN+WN-conservativity of our translation.

Lemma 5.2 (Some simple facts). *Assume $f : A \triangleleft | Q (\vec{x}:\vec{A} \vdash q : A)$.*

- Each variable x_i occurs exactly once in q .*
- If $q[\vec{x} := \vec{t}]$ is good, then the t_i are good as well.*

Proof. By Lem. 2.2 and 2.6. □

Theorem 5.3 (Correctness of Translation). *Let \mathcal{P} be a program for Σ . Then there exists a typed language $\Sigma' \supseteq_{\mathcal{F}} \Sigma$ and a simple program \mathcal{P}' for Σ' , which is a conservative extension of \mathcal{P} preserving SN and WN.*

Proof. Define for a program \mathcal{P} the height of its derivation $\text{height}(\mathcal{P})$ as the sum of the heights of the derivations of those covering patterns in \mathcal{P} , which are not simple covering patterns. The proof is by induction on $\text{height}(\mathcal{P})$.

The case $\text{height}(\mathcal{P}) = 0$ is trivial, since \mathcal{P} is simple. Assume $\text{height}(\mathcal{P}) > 0$. We obtain a $\Sigma' \supseteq_{\mathcal{F}} \Sigma$ and corresponding program \mathcal{P}' for Σ' by applying one step of Algorithm 3.3

to \mathcal{P} . We show below that \mathcal{P}' is a conservative extension of \mathcal{P} preserving SN and WN. Since the derivations for the coverage complete pattern sets in \mathcal{P}' are the same as for \mathcal{P} , except for the one for \mathcal{P}'_f , which is reduced in height by one as the algorithm takes out the last derivation of the coverage derivation of \mathcal{P}_f , and that for \mathcal{P}'_g , which is simple, we have $\text{height}(\mathcal{P}') = \text{height}(\mathcal{P}) - 1$. By induction hypothesis there exists a conservative extension \mathcal{P}'' of \mathcal{P}' preserving SN and WN, which is simple, which is as well a conservative extension of \mathcal{P} preserving SN and WN. This extension is obtained by the recursive call made by the algorithm.

So we need to show that \mathcal{P}' is a conservative extension of \mathcal{P} preserving SN and WN. Let $f, g, \Delta', \vec{y}, q, A, I, \Delta_i, q_i, t_i, C_i, q'_i$ be as stated in Algorithm 3.3, $\Delta_i = \vec{y}_i : \vec{A}_i$, and n be the length of Δ' .

We introduce a concrete back-interpretation of \mathcal{P}' into \mathcal{P} by defining $\text{arity}(g) := n$ and $\text{Interp}(g)[\vec{y}] := q$. Let $m(t)$ be the number of occurrences of f in t . Let $(\text{Good}, \text{interp})$ be the corresponding back interpretation.

Assume \mathcal{P}' fulfills with the given q'_i the following conditions:

- (1) $\text{interp}(q'_i) = q_i \longrightarrow_{\mathcal{P}'} q'_i$.
- (2) If $q[\vec{x} := \vec{s}] \vec{t} = q_i$, then $g \vec{s} \vec{t} = q'_i$, where t_i are terms or of the form $.d$.

Then $(\text{Good}, \text{interp})$ fulfills (SN 1), (SN 2), and (WN), and therefore \mathcal{P}' is a conservative extension of \mathcal{P} preserving SN and WN:

(SN 1) holds since the only changed derivation is based on the original redex $q_i[\vec{y}_i := \vec{s}] \longrightarrow_{\mathcal{P}} t_i[\vec{y}_i := \vec{s}]$ and by (1) $q_i[\vec{y}_i := \vec{s}] \longrightarrow_{\mathcal{P}'} q'_i[\vec{y}_i := \vec{s}] \longrightarrow_{\mathcal{P}'} t_i[\vec{y}_i := \vec{s}]$.

(SN 2) holds since the new redexes are the following:

- (a) $q[\vec{y} := \vec{s}] \longrightarrow_{\mathcal{P}'} g \vec{s}$, where $q[\vec{y} := \vec{s}]$ is good. By Lem. 5.2 (b) \vec{s} are good as well, and therefore as well $g \vec{s}$. We have $\text{interp}(q[\vec{y} := \vec{s}]) = q[\vec{y} := \text{interp}(\vec{s})] = \text{interp}(g \vec{s})$. Furthermore, $m(q[\vec{y} := \vec{s}]) = m(g \vec{s}) + 1 > m(g \vec{s})$, since pattern q starts with f , and each variable in \vec{y} occurs by Lem. 5.2 (a) exactly once in q .
- (b) $q'_i[\vec{y}_i := \vec{s}] \longrightarrow_{\mathcal{P}'} t_i[\vec{y}_i := \vec{s}]$. Since $q'_i[\vec{y}_i := \vec{s}]$ is good, as in (a) \vec{s} are good and therefore $t_i[\vec{y}_i := \vec{s}]$ is good. Furthermore, by (1)

$$\begin{aligned} \text{interp}(q'_i[\vec{y}_i := \vec{s}]) &= \text{interp}(q'_i)[\vec{y}_i := \text{interp}(\vec{s})] \\ &= q_i[\vec{y}_i := \text{interp}(\vec{s})] \\ &\longrightarrow_{\mathcal{P}} t_i[\vec{y}_i := \text{interp}(\vec{s})] \\ &= \text{interp}(t_i[\vec{y}_i := \vec{s}]). \end{aligned}$$

Proof of (WN): We first show that (2) implies

- (3) If $s \in \text{Good}$, $\text{interp}(s) = q_i$ then $s = q_i \vee s = q'_i$.

Since q_i starts with f , s must start with f or g . The only occurrence of a constant in q_i is at the beginning, therefore $s = f \vec{r}$ or $s = g \vec{r}$ where $\text{interp}(\vec{r}) = \vec{r}$. If $s = f \vec{r}$ then $s = \text{interp}(s) = q_i$. If $s = g \vec{r} = g \vec{s} \vec{t}$, $q[\vec{x} := \vec{s}] \vec{t} = \text{interp}(s) = q_i$, therefore by (2) $s = g \vec{s} \vec{t} = q'_i$.

Using (3), assume $s \in \text{Good}$, $s \in \text{NF}'$, and show $\text{interp}(s) \in \text{NF}$. Assume $\text{interp}(s) \notin \text{NF}$, $\text{interp}(s)$ has redex $\tilde{q}[\vec{x} := \vec{r}]$ for a pattern \tilde{q} of \mathcal{P} . If $\tilde{q} \neq q_i$, \tilde{q} starts with some $h \neq f, g$, and has no occurrences of f, g . Then s contains $\tilde{q}[\vec{x} := \vec{r}']$ where $\text{interp}(\vec{r}') = \vec{r}$, and has

therefore a redex, contradicting $s \in \text{NF}'$. Therefore $\tilde{q} = q_i$ for some i . Therefore s contains a subterm $s'[\vec{x} := \vec{r}]$ such that $\text{interp}(s') = q_i$, $\text{interp}(\vec{r}) = \vec{r}$. But then by (1), (3) $s'[\vec{x} := \vec{r}]$ has a reduction, again a contradiction.

So in order to complete the proof we need to verify conditions (1), (2):

Case: last rule is ($\mathbf{C}_{\mathbf{App}}$).

- (1) $\text{interp}(q'_0) = \text{interp}(g \vec{x} x) = \text{Interp}(g)[\vec{x}] x = q x = q_0 \xrightarrow{\mathcal{P}'} g \vec{x} x = q'_0$.
- (2) If $q[\vec{x} := \vec{s}] \vec{t} = q_0 = q x$, $\vec{s} = \vec{x}$, $\vec{t} = x$, $g \vec{s} \vec{t} = g \vec{x} x = q'_0$.

Case: last rule is ($\mathbf{C}_{\mathbf{Dest}}$).

- (1) $\text{interp}(q'_d) = \text{interp}(g \vec{x} .d) = \text{Interp}(g)[\vec{x}] .d = q .d = q_d \xrightarrow{\mathcal{P}'} g \vec{x} .d = q'_d$.
- (2) If $q[\vec{x} := \vec{s}] \vec{t} = q_d = q .d$, $\vec{s} = \vec{x}$, $\vec{t} = .d$, $g \vec{s} \vec{t} = g \vec{x} .d = q'_d$.

Case: last rule is ($\mathbf{C}_{\mathbf{Unit}}$).

- (1) $\text{interp}(q'_0) = \text{interp}(g \vec{x} ()) = \text{Interp}(g)[\vec{x}, x' := ()] = q[x' := ()] = q_0 \xrightarrow{\mathcal{P}'} g \vec{x} () = q'_0$.
- (2) If $q[\vec{x} := \vec{s}, x' := r] \vec{t} = q_0 = q[x' := ()]$, $\vec{s} = \vec{x}$, $r = ()$, \vec{t} is empty,
 $g \vec{s} r \vec{t} = g \vec{x} () = q'_0$.

Case: last rule is ($\mathbf{C}_{\mathbf{Pair}}$).

- (1) $\text{interp}(q'_0) = \text{interp}(g \vec{x} (x_1, x_2)) = \text{Interp}(g)[\vec{x}, x' := (x_1, x_2)] = q[x' := (x_1, x_2)]$
 $= q_0 \xrightarrow{\mathcal{P}'} g \vec{x} (x_1, x_2) = q'_0$.
- (2) If $q[\vec{x} := \vec{s}, x' := r] \vec{t} = q_0 = q[x' := (x_1, x_2)]$, $\vec{s} = \vec{x}$, $r = (x_1, x_2)$, \vec{t} is empty,
 $g \vec{s} r \vec{t} = g \vec{x} (x_1, x_2) = q'_0$.

Case: last rule is ($\mathbf{C}_{\mathbf{Const}}$).

- (1) $\text{interp}(q'_c) = \text{interp}(g \vec{x} (c x')) = \text{Interp}(g)[\vec{x}, x' := (c x')] = q[x' := c x']$
 $= q_c \xrightarrow{\mathcal{P}'} g \vec{x} (c x') = q'_c$.
- (2) If $q[\vec{x} := \vec{s}, x' := r] \vec{t} = q_c = q[x' := c x']$, $\vec{s} = \vec{x}$, $r = c x'$, \vec{t} is empty,
 $g \vec{s} r \vec{t} = g \vec{x} (c x') = q'_c$. □

6. CONCLUSION

We have described a reduction of deep copattern matching to shallow copattern matching. The translation preserves weak and strong normalization. It is conservative, thus establishing a weak bisimulation between the original and the translated program. The translated programs can be used for more efficient evaluation in a checker for dependent types or can serve as intermediate code for translation into a more low-level language that has no concept of pattern at all.

There are two more translations of interest. The first one is a translation into a variable-free language of combinators, including a proof of conservativity and preservation of normalization. Our techniques were developed more generally in order to prove correctness for this translation as well. A second translation would be to a call-by-need lambda-calculus with lazy record constructors. This would allow us to map definitions of infinite structures by copatterns back to Haskell style definitions by lazy evaluation. While there seems to be no (weak) bisimulation in this case, one still can hope for preservation of normalization, maybe established by logical relations.

Acknowledgements. The authors want to thank the referees for many detailed and valuable comments, especially regarding preservation of weak normalization and generalisation to ARS. Andreas Abel acknowledges support by Vetenskapsrådet project *Termination Certificates for Dependently-Typed Programs and Proofs via Refinement Types* and a Vetenskapsrådet framework grant to the ProgLog group (Thierry Coquand et al.) of the Department of Computer Science and Engineering at Chalmers and Gothenburg University Brigitte Pientka acknowledges support by NSERC (National Science and Engineering Research Council Canada). Anton Setzer acknowledges support by EPSRC (Engineering and Physical Science Research Council, UK) grant EP/C0608917/1. David Thibodeau acknowledges support by a graduate scholarship of Les Fonds Québécois de Recherche Nature et Technologies (FQRNT).

REFERENCES

- [Abe06] Andreas Abel. *A Polymorphic Lambda-Calculus with Sized Higher-Order Types*. PhD thesis, Ludwig-Maximilians-Universität München, 2006.
- [APTS13] Andreas Abel, Brigitte Pientka, David Thibodeau, and Anton Setzer. Copatterns: Programming infinite structures by observations. In *Proc. of the 40th ACM Symp. on Principles of Programming Languages, POPL 2013*, pages 27–38. ACM Press, 2013.
- [Aug85] Lennart Augustsson. Compiling pattern matching. In Jean-Pierre Jouannaud, editor, *Functional Programming Languages and Computer Architecture (FPCA '85)*, volume 201 of *Lect. Notes in Comput. Sci.*, pages 368–381. Springer, 1985.
- [BFG⁺04] Gilles Barthe, Maria J. Frade, Eduardo Giménez, Luis Pinto, and Tarmo Uustalu. Type-based termination of recursive definitions. *Math. Struct. in Comput. Sci.*, 14(1):97–141, 2004.
- [Bra13] Edwin Brady. Idris, a general-purpose dependently typed programming language: Design and implementation. *Journal of Functional Programming*, 23:552–593, 2013.
- [CF92] Robin Cockett and Tom Fukushima. About Charity. Technical report, Department of Computer Science, The University of Calgary, June 1992. Yellow Series Report No. 92/480/18.
- [Hag87] Tatsuya Hagino. A typed lambda calculus with categorical type constructors. In *Category Theory and Computer Science*, volume 283 of *Lect. Notes in Comput. Sci.*, pages 140–157. Springer, 1987.
- [Hag89] Tatsuya Hagino. Codatatypes in ML. *J. Symb. Logic*, 8(6):629–650, 1989.
- [INR12] INRIA. *The Coq Proof Assistant Reference Manual*. INRIA, version 8.4 edition, 2012.
- [Nor07] Ulf Norell. *Towards a Practical Programming Language Based on Dependent Type Theory*. PhD thesis, Dept. of Computer Science and Engineering, Chalmers, Göteborg, Sweden, 2007.
- [SAPT14] Anton Setzer, Andreas Abel, Brigitte Pientka, and David Thibodeau. Unnesting of copatterns. In *Rewriting and Typed Lambda Calculi - Joint Int. Conf., RTA-TLCA 2014*, volume 8560 of *Lecture Notes in Computer Science*, pages 31–45. Springer, 2014.
- [Sev96] Paula Gabriela Severi. *Normalisation in lambda calculus and its relation to type inference*. PhD thesis, Technische Universiteit Eindhoven, Eindhoven, The Netherlands, 1996.
- [Ter03] Terese. *Term Rewriting Systems*. Cambridge University Press, 2003.
- [vR96] Femke van Raamsdonk. *Confluence and Normalisation for Higher-Order Rewriting*. PhD thesis, Vrije Universiteit, Amsterdam, The Netherlands, 1996.