Lexical Semantics

COMP-550

Oct 17, 2017

Outline

Semantics

Lexical semantics

Lexical semantic relations

WordNet

Word Sense Disambiguation

- Lesk algorithm
- Yarowsky's algorithm

Semantics

What is "Semantics"?

The study of **meaning** in language

"When I use a word", Humpty Dumpty said in rather a scornful tone, "it means just what I choose it to mean – neither more nor less."

Lewis Carroll, Alice in Wonderland

What does meaning mean?

- Relationship of linguistic expression to the real world
- Relationship of linguistic expressions to each other

This Lecture

We'll start by focusing on the meaning of words—lexical semantics.

Later on:

- meaning of phrases and sentences
- how to construct that from meanings of words

From Language to the World

What does telephone mean?

 Picks out all of the objects in the world that are telephones (its referents)

Its extensional definition





Relationship of Linguistic Expressions

How would you define *telephone*? e.g, to a three-year-old, or to a friendly Martian.

Dictionary Definition

http://dictionary.reference.com/browse/telephone

Its intensional definition

The necessary and sufficient conditions to be a telephone

This presupposes you know what "apparatus", "sound", "speech", etc. mean.

Lexical Semantics Jargon

Lexeme: Pairing of a particular form (orthographic or phonological) with its meaning.

For example, the lexeme BANK (noun) consists of bank and banks, but not banker. BANKER is a lexeme of its own!

Lexicon: Finite list of lexemes

Lemma: The grammatical form that is used to represent a lexeme.


The lemma for *sing*, *sang*, *sung* is **sing**. The specific form (e.g. sang) is called **wordform**.

Lemmatization: The process of mapping a wordform to a lemma.

Sense and Reference (Frege, 1892)

Frege was one of the first to distinguish between the sense of a term, and its reference.

Same referent, different senses:



Word Senses

The meaning of a lemma can vary enormously given the context:

- A bank can hold investments in a custodial account in the client's name.
- As agriculture burgeons on the east bank, the river shrink even more.

A word sense (or simply sense) is a discrete representation of one aspect of the meaning of a word.

Next: Relations between different senses (and generally words)

Later: How to disambiguate between varying senses?

Lexical Semantic Relations

How specifically do terms relate to each other? Here are some ways:

Hypernymy/hyponymy

Synonymy

Antonymy

Homonymy

Polysemy

Metonymy

Synecdoche

Holonymy/meronymy

Hypernymy/Hyponymy

ISA relationship

Hyponym Hypernym

monkey mammal

Montreal city

red wine beverage

Synonymy and Antonymy

Synonymy

```
(Roughly) same meaning offspring descendent spawn happy joyful merry
```

Antonymy

(Roughly) opposite meaning synonym antonym happy sad descendant ancestor

Homonymy

Same form, different (and unrelated) meaning

Homophone – same sound

e.g., son vs. sun

Homograph – same written form

• e.g., lead (noun) vs. lead (verb)

Polysemy

Multiple related meanings

- <u>S:</u> (n) **newspaper**, <u>paper</u> (a daily or weekly publication on folded sheets; contains news and articles and advertisements) "he read his newspaper at breakfast"
- S: (n) newspaper, paper, newspaper publisher (a business firm that publishes newspapers) "Murdoch owns many newspapers"
- <u>S:</u> (n) **newspaper**, <u>paper</u> (the physical object that is the product of a newspaper publisher) "when it began to rain he covered his head with a newspaper"
- S: (n) **newspaper**, <u>newsprint</u> (cheap paper made from wood pulp and used for printing newspapers) "they used bales of newspaper every day"

Homonymy vs Polysemy

- Homonymy: <u>unrelated</u> Polysemy: <u>related</u> meaning
 - <u>S:</u> (n) **position**, <u>place</u> (the particular portion of space occupied by something) "he put the lamp back in its place"
 - <u>S:</u> (n) <u>military position</u>, **position** (a point occupied by troops for tactical reasons)
 - <u>S:</u> (n) **position**, <u>view</u>, <u>perspective</u> (a way of regarding situations or topics etc.)"*consider what follows from the positivist view*"
 - <u>S:</u> (n) **position**, <u>posture</u>, <u>attitude</u> (the arrangement of the body and its limbs) "he assumed an attitude of surrender"
 - <u>S:</u> (n) <u>status</u>, **position** (the relative position or standing of things or especially persons in a society) "he had the status of a minor"; "the novel attained the status of a classic"; "atheists do not enjoy a favorable position in American life"
 - S: (n) position, post, berth, office, spot, billet, place, situation (a job in an organization) "he occupied a post in the treasury"

Metonymy

Substitution of one entity for another related one

We ordered many delicious dishes at the restaurant.

I worked for the local paper for five years.

Quebec City is cutting our budget again.

The loonie is at a 11-year low.

Synecdoche – a specific kind of metonymy involving whole-part relations

All hands on deck!

Don't be a <censored body part>

Holonymy/meronymy

Some kind of whole/part relationship

Subtypes Holonym Meronym

groups and members class student

whole and part car windshield

whole and substance chair wood

Quiz

Classify the following examples in terms of what lexical semantic relation they exhibit

cold freezing

they're their

hair head

enemy friend

cut (hair) cut (bread)

George Clooney actor

WordNet (Miller et et., 1990)

WordNet is a lexical resource organized by synsets

- Nodes: synsets
- Edges: lexical semantic relation between two synsets

Separate hierarchy for different parts of speech

Nouns, verbs, adjectives, adverbs

A Synset Entry

S: (n) hand, manus, mitt, paw (the (prehensile) extremity of the superior limb) "he had the hands of a surgeon"; "he extended his mitt"

<u>direct hyponym</u> / <u>full hyponym</u>

- S: (n) fist, clenched fist (a hand with the fingers clenched in the palm (as for hitting))
- S: (n) hooks, meat hooks, maulers (large strong hand (as of a fighter)) "wait till I get my hooks on him"
- <u>S:</u> (n) <u>right</u>, <u>right hand</u> (the hand that is on the right side of the body) "he writes with his right hand but pitches with his left"; "hit him with quick rights to the body"
- S: (n) left, left hand (the hand that is on the left side of the body) "jab with your left"

part meronym

<u>direct hypernym / inherited hypernym / sister term</u>

part holonym

- <u>S:</u> (n) <u>arm</u> (a human limb; technically the part of the superior limb between the shoulder and the elbow but commonly used to refer to the whole superior limb)
- <u>S:</u> (n) <u>homo, man, human being</u>, <u>human</u> (any living or extinct member of the family Hominidae characterized by superior intelligence, articulate speech, and erect carriage)

<u>derivationally related form</u>

WordNet Has an NLTK Interface

>>> from nltk.corpus import wordnet

Some useful functions:

```
>>> wordnet.synsets(<query_term>)
```

>>> wordnet.synset(<synset_name>)

Remember you can use dir and help to get a list of functions in Python.

Word Sense Disambiguation

Figuring out which word sense is expressed in context *His hands* were tired from hours of typing.

 \rightarrow hand.n.01

Due to her superior education, her **hand** was flowing and graceful.

 \rightarrow hand.n.03

General idea: use words in the context to disambiguate. Which words above would help with this?

Possible Computational Approaches

A heuristic algorithm

Lesk's algorithm

Supervised machine learning

 Possible, but requires a lot of work to annotate word sense information that we want to avoid

Unsupervised, or minimally supervised machine learning

Yarowsky's algorithm

Lesk's Algorithm (1986)


More like a family of algorithms which, in essence, choose the sense whose dictionary definition shares the most words with the target word's neighborhood.

Steps to disambiguate word w:


- 1. Construct a bag of words representation of the context, B
- 2. For each candidate sense s_i of word w:
 - Calculate a signature of the sense by taking all of the words in the dictionary definition of s_i
 - Compute Overlap(B, signature(s_i))
- 3. Select the sense with the highest overlap score

Financial Bank or Riverbank?

... **deposit** a **cheque** at the <u>bank</u> before it **closed** ...



- overlap(bank#1, B)
 - 6 overlaps found
- overlap(bank#2,B)
 - 1 overlap found
- Decision: select sense 1.



Model Variations

Which dictionary to use? NLTK?

Use only dictionary definitions? Or include example sentences?

Ignore uninformative stopwords (e.g., the, a, of)?

Lemmatize when considering matches (tomatoes matches tomato)?

Exercise

Run the Lesk algorithm using NLTK/WordNet. Ignore stop words, include examples, count lemma overlap. Consider only the top two senses of bank.

- 1. I'll deposit the cheque at the bank.
- 2. The **bank** <u>overflowed</u> and <u>water flooded</u> the <u>town</u>.

Yarowsky's Algorithm (1995)

A method based on **bootstrapping**

Goal: Learn a classifier for a target word

Steps:

- 1. Gather a data set with target word to be disambiguated
- 2. Automatically label a small seed set of examples
- 3. Repeat the following for a while:
 - Train a supervised learning algorithm from the seed set
 - Apply the supervised model to the entire data set
 - Keep the highly confident classification outputs to be the new seed set
- 4. Use the last model as the final model

Yarowsky's Example

Step 1: Disambiguating *plant*

Sense	Training Examples (Keyword in Context)
?	company said the plant is still operating
?	Although thousands of plant and animal species
?	zonal distribution of plant life
?	to strain microscopic plant life from the
?	vinyl chloride monomer plant, which is
?	and Golgi apparatus of plant and animal cells
?	computer disk drive plant located in
?	divide life into plant and animal kingdom
?	close-up studies of plant life and natural
?	Nissan car and truck plant in Japan is
?	keep a manufacturing plant profitable without
?	molecules found in plant and animal tissue
?	union responses to plant closures
?	animal rather than plant tissues can be
?	many dangers to plant and animal life
?	company manufacturing plant is in Orlando
?	growth of aquatic plant life in water
?	automated manufacturing plant in Fremont,
?	Animal and plant life are delicately
?	discovered at a St. Louis plant manufacturing
?	computer manufacturing plant and adjacent
?	the proliferation of plant and animal life
?	

Step 2: Initial Seed Set

Sense A:

• plant as in a lifeform

Other data

Sense B:

• plant as in a factory

Sense	Training Examples (Keyword in Context)
A	used to strain microscopic plant life from the
A	zonal distribution of plant life
A	close-up studies of plant life and natural
A	too rapid growth of aquatic plant life in water
A	the proliferation of plant and animal life
A	establishment phase of the plant virus life cycle
A	that divide life into <i>plant</i> and animal kingdom
A	many dangers to plant and animal life
A	mammals . Animal and plant life are delicately
A	beds too salty to support plant life . River
A	heavy seas, damage, and plant life growing on
A	
?	vinyl chloride monomer plant, which is
?	molecules found in plant and animal tissue
?	Nissan car and truck plant in Japan is
?	and Golgi apparatus of plant and animal cells
?	union responses to plant closures
? ? ? ? ? ? ? ?	
?	
?	cell types found in the plant kingdom are
?	company said the plant is still operating
?	Although thousands of plant and animal species
? ?	animal rather than plant tissues can be
1	computer disk drive plant located in
В	
В	automated manufacturing plant in Fremont
В	vast manufacturing plant and distribution
В	chemical manufacturing plant, producing viscose
В	keep a manufacturing plant profitable without
В	computer manufacturing plant and adjacent
В	discovered at a St. Louis plant manufacturing
В	copper manufacturing plant found that they
В	copper wire manufacturing plant, for example
В	's cement manufacturing plant in Alpena
В	polystyrene manufacturing plant at its Dow
В	company manufacturing plant is in Orlando

Step 3: Train a Classifier

He went with a **decision-list** classifier (we didn't cover this one in class)

Initial decision list for plant (abbreviated)				
LogL	Collocation	Sense		
8.10	plant life	$\Rightarrow A$		
7.58	${f manufacturing} \ plant$	\Rightarrow B		
7.39	life (within $\pm 2\text{-}10 \text{ words}$)	$\Rightarrow A$		
7.20	manufacturing (in ± 2 -10 words)	\Rightarrow B		
6.27	animal (within $\pm 2\text{-}10 \text{ words}$)	$\Rightarrow A$		
4.70	equipment (within $\pm 2\text{-}10 \text{ words}$)	\Rightarrow B		
4.39	employee (within $\pm 2\text{-}10 \text{ words}$)	\Rightarrow B		
4.30	assembly plant	\Rightarrow B		
4.10	plant closure	\Rightarrow B		
-3.52	plant species	$\Rightarrow A$		
3.48	automate (within $\pm 2\text{-}10 \text{ words}$)	\Rightarrow B		
3.45	microscopic plant	$\Rightarrow A$		

Note how new collocations are found for each sense

Step 3: Change Seed Set

Use only the cases where classifier is highly confident

Labeling previously untagged contexts

using the one-sense-per-discourse property

doing the one being per discourse property					
Change	Disc.				
in tag	Numb.	Training Examples (from same discourse)			
$A \rightarrow A$	724	the existence of plant and animal life			
$A \rightarrow A$	724	classified as either plant or animal			
? → A	724	Although bacterial and plant cells are enclosed			
$A \rightarrow A$	348	the life of the plant , producing stem			
$A \rightarrow A$	348	an aspect of plant life, for example			
? → A	348	tissues ; because plant egg cells have			
? → A	348	photosynthesis, and so plant growth is attuned			

Results

96% on binary word sense distinctions

Same result as with supervised methods, but with minimal amounts of annotation effort!

Notes on Yarowski's Algorithm

The key to any bootstrapping approach lies in its ability to create a larger training set from a small set of seeds:

- Need an accurate initial set of seeds
- Need a good confidence metric for picking good new examples to add to the training set