

PROBLEMS WITH VERSION 1

- What is the meaning of “lift” and how does it relate to the system?
- It could state better who has to do what, e.g., "user requests a floor" would be better written: “User requests System...”
 - Remember: each base interaction has to be an *input* or *output* interaction between the System and an actor
- It fails to state whether the extensions join the main scenario, succeed, or fail.
- It fails to state sufficient detail on system responsibilities, at least to give to developers! This may be remedied by making some steps sub-“use cases”.
- Secondary actors do not appear (functionality might get lost).
- It fails to make extension conditions verifiable, e.g., steps (2-3)1a, 3a, and 6a

PROBLEMS WITH VERSION 2

- Use case fails to get the system boundary right (door closing functionality should not be part of system according to project description).
- It has the wrong kind of system detail (algorithmic), e.g. FIFO, floor lights, etc.
- It is long, hard to read, and unnecessarily complex. Each step should describe a single input or output interaction.

1. AUCTION SYSTEM ACTORS

- **Primary**
 - User (or Customer)
 - Can be split into Buyer / Seller
 - (System Administrator)
- **Secondary**
 - Credit Card Company
 - (Email Application)
 - (Postal Service)

1. STAKEHOLDER INTEREST

- User expects
 - Fairness
 - Transparent bidding process
 - Prompt notification
 - Highest bidder wins
 - Reliable service
 - No money lost
 - High availability
 - Privacy
- ...

2. SUMMERY-LEVEL USE CASE (1)

Use Case: Buy and Sell Goods by Auction

Scope: Auction System

Level: Summary

Intention in Context: The intention of the User is to buy and sell goods by auctions over time.

Multiplicity: Multiple users can interact with the auction system concurrently. A User can be involved in multiple auctions at any one time.

Primary Actor: User (becomes Customer, once s/he has identified him/herself with the System)

2. SUMMERY-LEVEL USE CASE (2)

Main Success Scenario:

All Users must first enrol with the System before they have the right to use the system

1. *User enrols with System, providing System with registration information.*

Steps 2-5 can be repeated many times.

2. *User identifies him/herself to System.*

3. *System presents Customer with a welcome message.*

The user-goal level use cases of step 4 can be performed in parallel and individually repeated. A customer may bid and sell in many auctions at any one time.

4. *Customer increases credit with System*

or Customer buys an item on auction

or Customer sells an item by auction


5. *Customer exits System.*

6. *Customer requests to cancel his/her enrollment.*

Extensions:

3a. *System fails to identify User; use case continues at step 2.*

3. AUCTION SYSTEM USE CASE DIAGRAM



4. BUY ITEM USE CASE (1)

Use Case: Buy Item on Auction

Scope: Auction System

Level: User Goal

Intention in Context: The intention of the *Customer* is to follow the auction, which may then evolve into an intention to buy an item by auction, i.e., he/she may then choose to bid for an item.

Multiplicity: Several *Customers* can place bid simultaneously. A given *Customer* may bid in many different auctions at any one time.

Primary Actor: Customer

Precondition: The Customer has already identified her / himself to the System

4. BUY ITEM USE CASE (2)

Main Success Scenario:

Customer may leave the auction and come back again later to look at the progress of the auction, without effect on the auction; in this case, the Customer is required to join the auction again.

1. *Customer searches for an item under auction.*
2. *Customer requests System to join the auction of the item.*
3. *System presents a view of the auction to Customer.*

Steps 4-5 can be repeated according to the intentions and bidding policy of the Customer.

4. *Customer makes a bid on the item to System.*
5. *System validates the bid.*
6. *System closes the auction with a winning bid by Customer.*

4. BUY ITEM USE CASE (3)

Extensions:

2a. *Customer* requests *System* not to pursue item further; use case ends in failure.

3a. *System* informs *Customer* that auction has not started: use case ends in failure.

3b. *System* informs *Customer* that auction is closed: use case ends in failure.

5a. *System* determines that bid does not meet the minimum increment.

5a.1. *System* informs *Customer*; use cases continues at step 4.

5b. *System* determines that *Customer* does not have sufficient credit to guarantee bid:

5b.1. *System* informs *Customer*; use cases continues at step 4.

6a. *Customer* was not the highest bidder:

6a.1. *System* closes the auction; use case ends in failure.

6b. Bid did not meet reserve price.

6b.1. *System* closes the auction; use case ends in failure.

BUY DRINK USE CASE (1)

Use Case: Buy Drink

Scope: Vending Machine

Level: User Goal

Intention in Context: The intention of the *Customer* is to buy a drink in exchange of money.

Multiplicity: There can always be only one *Customer* interacting with the system at a given time.

Primary Actor: Customer

Secondary Actors: Selector Button, Coin Slot, Shelf, Sensor, Money Box, Drink Light, Cancel Button, Display, Terminal

Precondition: The system is in service, filled with drinks and change, and the Money Box is not full.

BUY DRINK USE CASE (2)

Main Success Scenario:

Customer selects drink by pushing appropriate drink selector button.

1. *Button* notifies *System* of selected drink.
2. *System* displays the price of the selected drink on *Display*.

Customer inserts a coin into Coin Slot.

3. *Coin Slot* notifies *System*.
4. *System* recognizes the coin, and updates the remaining price on *Display*.

Steps 3 and 4 are repeated until the amount of inserted money reaches or exceeds the price of the drink.

5. *System* validates that there are sufficient funds for the selection and notifies *Shelf* to start dispensing the drink.
6. *Sensor* informs *System* that the drink has been dispensed.
7. *System* asks *Money Box* to collect the specified amount of money and, if necessary, provide the change.

Customer collects the drink and optionally the change.

BUY DRINK USE CASE (3)

Extensions:

2a. *System* ascertains that the selected drink is not available and flashes *Drink Lights*; use case ends in failure.

4a. *System* fails to identify the coin; *System* asks *Money Box* to eject coin; use case continues at step 3.

(3-4)a. *Customer* informs *System* to abort the sale by hitting the *Cancel* button;

(3-4)a.1 *System* asks *Money Box* to eject coins; use case ends in success.

(3-4)b. *System* times out.

(3-4)b.1 *System* asks *Money Box* to eject the inserted coins; use case ends in failure.

5a. *System* ascertains that the inserted money exceeds the price for the drink and that there is not enough change;

5a.1 *System* asks *Money Box* to eject inserted coins.

5a.2 *System* displays “no change” on *Display*; use case ends in failure.

7a II. The *Money Box* is full.

7a II.1 *System* displays “no service” on *Display* and goes out of service; use case ends successfully.

7b II. The delivered drink was the last one of that kind.

7b II.1 *System* turns on the appropriate *Drink Light*; use case ends successfully.

SERVICE MACHINE USE CASE (1)

Use Case: Service Machine

Scope: Vending Machine

Level: User Goal

Intention in Context: The intention of the Service Person is to maintain the machine by ensuring that there are drinks available, modifying drink pricing, and by collecting the money earned.

Multiplicity: There can be only one service person servicing the machine at a given time.

Primary Actor: Service Person

Precondition: No Customer is currently using the system.

SERVICE MACHINE USE CASE (2)

Main Success Scenario:

Service Person interacts with the system by using the Terminal.

1. *Service Person identifies himself with System.*

Steps 2-3 can be repeated for each shelf, in any order.

2. *Service Person informs System of new price for a shelf.*

3. *Service Person replenishes a shelf and informs System of new number of drinks for that shelf.*

4. *Service Person empties the Money Box, replenishes the change and informs the System.*

5. *Service Person informs System that maintenance is over.*

Extensions:

2a. *System fails to identify the Service Person; use case ends in failure.*

VENDING MACHINE USE CASE DIAGRAM

